

## County Surveyor's Record, Douglas County, Oregon

T. 30 S., R. 6 W.

CHAINS

The history of surveys in that portion of township 30 south, range 6 west, Willamette Meridian, Oregon, covered by this resurvey is as follows:

The west boundary and subdivisional lines were surveyed by Addison R. Flint, in 1855.

The resurvey was made at the request of the Roseburg District Manager for administrative purposes of the Bureau of Land Management.

Preliminary to the resurvey the lines of the original survey are retraced and search is made for all corners and other calls of the record. Identified corners are remonumented in their original positions, lost corners are reestablished and remonumented at proportionate positions, based on the original record. The retracement data are thoroughly verified and only the true line field notes are given herein. Only lines bounding or crossing public lands are blazed.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1947, and Special Instructions dated May 3, 1957 and June 8, 1964, under Group Nos. 350 and 551.

The directions of the lines were determined by the solar transit method.

The geographic position at the corner of sections 7, 8, 17, and 18, as scaled from the Canyonville Quadrangle map, prepared by the United States Geological Survey in 1954, is as follows:

Latitude  $42^{\circ} 58.3' N.$  Longitude  $123^{\circ} 26.7' W.$

The mean magnetic declination is  $20^{\circ} 00' E.$

Dependent Resurvey of a Portion of the W. Bdy.,  
T. 30 S., R. 6 W., Willamette Meridian, Oregon

(Restoring the 1855 survey by Addison R. Flint)

The cor. of secs. 7, 12, 13, and 18 on the W. bdy. of the Tp., perpetuated and recorded by J. W. Byron, Deputy County Surveyor, in 1960, monumented with an iron pipe, 1 in. diam., 12 ins. above the ground, firmly set, with brass cap mkd.

## COUNTY SURVEYORS OFFICE

		T 30 S		
R	S 12	S 7	S 18	R
7	S 13	S 18	S 18	6
W		1960		W

from which the remaining original bearing trees

A down and rotted madrone, 12 ins. diam., bears N.  $79^{\circ} E.$ , 43 lks. dist., no marks visible.

A madrone, 30 ins. diam., bears S.  $25^{\circ} W.$ , 75 lks. dist., with rotted center, no marks remaining.

A down madrone, 30 ins. diam., bears N.  $89^{\circ} W.$ , 55 lks. dist., with fragmentary scribe marks visible in the negative on section of overgrowth.