

County Surveyor's Record, Douglas County, Oregon

Dependent Resurvey, Portion of Subdivisional Lines, T. 30 S., R. 8 W.

CHAINS	
30.30	Spur, slopes N. 70° W.; desc. 120 ft. over NW. slope.
39.05	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 14 and 15, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 21 ins. in the ground, with brass cap mkd.</p>
	<p style="text-align: center;">T 30 S R 8 W</p> <p style="text-align: center;">S 15 $\frac{1}{4}$ S 14</p> <p style="text-align: center;">1964</p>
	from which
	<p style="padding-left: 40px;">A fir, 20 ins. diam., bears N. $43\frac{3}{4}$° E., 51 lks. dist., mkd. $\frac{1}{4}$ S14 BT.</p>
	<p style="padding-left: 40px;">A fir, 10 ins. diam., bears N. 65° W., 49 lks. dist., mkd. $\frac{1}{4}$ S15 BT.</p>
	Descend 485 ft. over NW. slope.
52.05	Creek, 3 lks. wide, course N. 40° E.; asc. 65 ft. over SE. slope.
55.70	Spur, slopes E.; desc. 25 ft. over NE. slope.
57.80	Ravine, drains E.; asc. 335 ft. over broken SE. slope.
76.55	Spur, slopes E.; desc. 15 ft. over NE. slope.
78.10	<p>The cor. of secs. 10, 11, 14, and 15, monumented with the original basalt stone, 14 x 10 x 5 ins., firmly set, 6 ins. in the ground, with 4 grooves on the S. side, and 2 grooves on the E. side, alongside which is an iron pipe, $\frac{1}{2}$ ins. diam., 10 ins. above ground, set and recorded by Howard W. Johnstone, Registered Land Surveyor, in 1962,</p>
	from which the remains of the original bearing trees
	<p style="padding-left: 40px;">A fir, 42 ins. diam., bears N. 31° E., 74 lks. dist., with old axe mks. and a recent blaze. (Record bearing, N. 28° E.)</p>
	<p style="padding-left: 40px;">A fir, 41 ins. diam., bears S. 51° E., 82 lks. dist., with old axe mks. and a recent blaze. (Record, S. 49° E., 78 lks.)</p>
	<p style="padding-left: 40px;">A madrone stump hole, bears S. 28° W., 37 lks. dist., (Record, S. 24° W., 35 lks.)</p>
	and bearing trees by Johnstone
	<p style="padding-left: 40px;">A fir, 17 ins. diam., bears N. $83\frac{1}{4}$° E., 163 lks. dist., with a partially healed double blaze.</p>
	<p style="padding-left: 40px;">A cedar, 24 ins. diam., bears S. $20\frac{1}{2}$° E., 105 lks. dist., mkd. T30S R8W S14 BT on double blaze.</p>
	<p style="padding-left: 40px;">A fir, 7 ins. diam., bears S. $50\frac{1}{2}$° W., 40 lks. dist., with a partially healed double blaze.</p>
	and a bearing tree of which I find no record