

County Surveyor's Record, Douglas County, Oregon

Dependent Resurvey Portion of Subdivisional Lines
T. 31 S., R. 7 W.

CHAINS	
37.55	Spur, slopes NE.; desc. 85 ft. over NW. slope.
41.68	<p>The $\frac{1}{4}$ sec. cor. of secs. 33 and 34, determined at record bearing and distance from the remains of the original bearing trees:</p> <p style="margin-left: 40px;">A fir snag, 38 ins. diam., bears N. 42° E., 36 lks. dist., mkd. $\frac{1}{4}$S on bark blaze.</p> <p style="margin-left: 40px;">A fir, 45 ins. diam., bears N. 70° W., 19 lks. dist., with no mks. visible.</p> <p>At the corner point</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 31 S R 7 W</p> <p style="margin-left: 100px;">$\frac{1}{4}$</p> <p style="margin-left: 80px;">S 33 S 34</p> <p style="margin-left: 100px;">1964</p> </div> <p>from which new bearing trees</p> <p style="margin-left: 40px;">A fir, 8 ins. diam., bears S. 81$\frac{1}{2}$° E., 36 lks. dist., mkd. $\frac{1}{4}$ S34 BT.</p> <p style="margin-left: 40px;">A fir, 8 ins. diam., bears S. 13$\frac{1}{4}$° W., 41$\frac{1}{2}$ lks. dist., mkd. $\frac{1}{4}$ S33 BT.</p> <hr style="width: 20%; margin: 20px auto;"/> <p>N. 0° 20' E., beginning new measurement.</p> <p>Descend 410 ft. over NW. slope.</p>
13.75	Middle Creek, 25 lks. wide, course S. 45° W.; asc. 210 ft. over SE. slope.
14.85	Middle Creek Road, 25 lks. wide, bears NE. and SW.
21.35	Creek, 1 lk. wide, course S. 20° E.; asc. 420 ft. over SW. slope, changing to S. slope.
39.17	<p>The cor. of secs. 27, 28, 33, and 34, recorded and re-monumented in 1963 by James W. Byron, Deputy County Surveyor, with an iron post, $1\frac{1}{2}$ ins. diam., 8 ins. above ground, firmly set, with brass cap mkd.</p> <div style="text-align: center;"> <p>COUNTY SURVEYORS OFFICE</p> <p style="margin-left: 100px;">T 31 S</p> <p style="margin-left: 80px;">S 28 S 27 R</p> <p style="margin-left: 80px;">S 33 S 34 W</p> <p style="margin-left: 100px;">1963</p> </div> <p>from which the remains of the original bearing trees:</p> <p style="margin-left: 40px;">A pine, 38 ins. diam., bears N. 85$\frac{3}{4}$° E., 305 lks. dist., mkd. S27 in negative on the overgrowth. (Record bearing and distance, N. 85° E., 255 lks.)</p> <p style="margin-left: 40px;">A pine, 38 ins. diam., bears S. 42° E., 156 lks. dist., mkd. with a healed blaze. (Record bearing and distance. S. 45° E., 147 lks.)</p> <p style="margin-left: 40px;">A pine, 34 ins. diam., bears S. 64° W., 165 lks. dist., mkd. T31S R7W S on opened blaze. (Record bearing, S. 65° W.)</p>