

## County Surveyor's Record, Douglas County, Oregon

Dependent Resurvey, Portion Subdivisional Lines, T. 22 S., R. 8 W.

CHAINS

A black oak, 9 ins. diam., bears N.  $35\frac{1}{2}^{\circ}$  E.,  
20 lks. dist., with a healed blaze.

A white oak, 11 ins. diam., bears N.  $67^{\circ}$  W., 121  
lks. dist., with a healed blaze.

At the corner point

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 22 ins.  
in the ground, with brass cap marked

T 22 S R 8 W  
C 42' C 41  
          
S 23  
1963

from which a new bearing tree,

A fir, 9 ins. diam., bears S.  $26^{\circ}$  W., 21 lks. dist.,  
mkd. T22S R8W S23 BT.

Reset the iron pipe alongside the iron post.

- 49.85 Tractor trail, 12 lks. wide, bears N. and S.  
51.45 Top of ascent, slopes N.; desc. 110 ft. over NW. slope.  
59.60 Branch, 3 lks. wide, course N.; asc. 105 ft. over NE.  
slope.  
66.10 Spur, slopes N.; desc. 70 ft. over NW. slope.  
69.70 Ravine, drains N.; asc. 95 ft. over E. slope.  
76.40 Spur, slopes N.  $15^{\circ}$  E.; asc. 45 ft. along a N. slope.  
80.19 The cor. of secs. 22, 23, 26, and 27.

Land, mountainous.

Soil, sandy, rocky, clay loam.

Timber, fir, hemlock, oak, maple, alder, cedar, chinqua-  
pin, and madrone; undergrowth, vine maple, salmonberry,  
hazel, arrowwood, huckleberry, blackberry, salal,  
ceanothus, poison oak, Oregon grape, and fern.

From the witness point on line bet. secs. 27 and 28,  
monumented with an iron post,  $1\frac{1}{2}$  ins. diam., 18 ins. above  
ground, firmly set, marked and witnessed as described in  
the official record of the 1962 resurvey by Floyd A.  
Brooks.

N.  $0^{\circ} 47'$  E., bet. secs. 27 and 28.

Descend 40 ft. along broken W. slope; through heavy  
second growth timber and dense undergrowth.

- 9.54 The  $\frac{1}{4}$  sec. cor. of secs. 27 and 28, remonumented by the  
County Surveyor in 1961 with an iron post, 1 in. diam.,  
12 ins. above ground, firmly set, with brass cap marked

COUNTY SURVEYORS OFFICE

T 22 S R 8 W  
 $\frac{1}{4}$  S 28' S 27  
1961

from which the original bearing trees:

A fir snag, 28 ins. diam., bears N.  $85^{\circ}$  E., 51 lks.  
dist., with healed blaze. (Record, 53 lks. dist.)