

## County Surveyor's Record, Douglas County, Oregon

Dependent Resurvey, Portion Subdivisional Lines, T. 22 S., R. 8 W.

CHAINS

A fir, 8 ins. diam., bears N.  $46\frac{1}{2}^{\circ}$  W., 34 lks. dist., with scribe marks T22S R8W S18 CS BT visible on unhealed blaze.

Land, mountainous.

Soil, sandy and rocky.

Timber, fir, hemlock, cedar, maple, oak, alder, and cascara; undergrowth, fern, hazel, poison oak, vine maple, Oregon grape, and salal.

N.  $3^{\circ} 33'$  W., bet. secs. 17 and 18.

Ascend 120 ft. over SW. slope, through heavy timber and dense undergrowth.

15.25 Dirt road, 20 lks. wide, bears E. and W.; leave timber, edge bears same as road.

17.00 Spur, slopes SW.; desc. 140 ft. over N. slope.

18.10 Same road, 20 lks. wide, bears E. and W.

22.70 Creek, 2 lks. wide, course W.; desc. slightly along W. slope.

25.70 Ravine, drains W.; asc. 150 ft. over SW. slope.

32.90 Same dirt road, 20 lks. wide, bears E. and W.

38.48 The  $\frac{1}{4}$  sec. cor. of secs. 17 and 18, monumented with an iron post, 1 in. diam., 8 ins. above ground, firmly set, with brass cap marked

S  $18\frac{1}{4}$  S 17  
1931

*FD. OK 3/20 84  
L. ROBERTS  
M 85-74*

from which bearing trees mkd. by George F. Rigby in 1931:

A sawed fir stump, 34 ins. diam., bears N.  $48\frac{1}{4}^{\circ}$  E., 18 lks. dist., with healed blaze.

A sawed fir stump, 22 ins. diam., bears S.  $56^{\circ}$  W., 32 lks. dist., with healed blaze.

bearing trees mkd. by John M. Phillips, Registered Professional Surveyor No. 307, in an unrecorded survey in 1954:

A sawed fir stump, 30 ins. diam., bears S.  $61^{\circ}$  E., 31 lks. dist., with scribe marks  $\frac{1}{4}$  S BT visible on open blaze.

A down fir, 34 ins. diam., bears S.  $87^{\circ}$  W., 117 lks. dist., with scribe marks  $\frac{1}{4}$  S 307 BT visible on open blaze.

and new bearing trees

A white fir, 10 ins. diam., bears N.  $15^{\circ}$  E., 207 lks. dist., mkd.  $\frac{1}{4}$  S17 BT.

A white fir, 8 ins. diam., bears S.  $40^{\circ}$  W., 183 lks. dist., mkd.  $\frac{1}{4}$  S18 BT.

N.  $3^{\circ} 39'$  W., beginning new measurement.

Ascend 30 ft. over broken SW. slope.