

County Surveyor's Record, Douglas County, Oregon

Dependent Resurvey, Portion Subdivisional Lines, T. 22 S., R. 8 W.

CHAINS

Descend 145 ft. over broken NW. slope, through scattering timber and dense undergrowth.

16.05 Creek, 3 lks. wide, course N. 35° W.; desc. 35 ft. over NW. slope.

19.10 Left bank of the Umpqua River, course S. 55° W.

32.30 Right bank of the Umpqua River; asc. 38 ft. over SE. slope.

37.10 Enter field; edge bears N. 50° E. and S. 50° W.

40.48 The $\frac{1}{4}$ sec. cor. of secs. 5 and 8, perpetuated and recorded by the County Surveyor in 1963, monumented with an iron post, 28 ins. long, 1 in. diam., firmly set, with top 22 ins. below surface of ground, with brass cap marked

T 22 S
 $\frac{1}{4}$ $\frac{S 5}{S 8}$
R 8 W
1963

from which the remaining original bearing tree,

A white oak, 60 ins. diam., bears N. 85° W., 636 lks. dist., with fragmentary scribe marks visible on opened blaze.

and bearing trees mkd. by the County Surveyor:

A white oak, 29 ins. diam., bears S. 28° E., 342 $\frac{1}{2}$ lks. dist., with scribe marks CS $\frac{1}{4}$ S8 BT visible on unhealed blaze.

A white oak, 15 ins. diam., bears S. 14 $\frac{1}{2}$ ° W., 545 lks. dist., with scribe marks CS $\frac{1}{4}$ S8 BT visible on unhealed blaze.

Add the marks B L M to brass cap.

Corner falls in field, at top of ascent, slopes S.

From this point the interior cor. on the S. bdy. of Donation Land Claim No. 49, bears S. 21° 47' W., 7.54 chs. dist., perpetuated and recorded by F. C. Frear, Deputy County Surveyor, in 1935, monumented with an iron pipe, $\frac{1}{2}$ in. diam., 8 ins. above ground, firmly set, from which the remaining original bearing tree,

A white oak, 40 ins. diam., bears S. 80° W., 155 lks. dist., with fragmentary scribe marks visible on opened and decayed blaze.

and bearing trees marked by Frear:

A white oak, 16 ins. diam., bears N. 54° E., 51 lks. dist., with a healed blaze.

A maple, 12 ins. diam., bears S. 72° W., 79 lks. dist., with a healed blaze.

At the corner point

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap marked