

County Surveyor's Record, Douglas County, Oregon

12769

Dependent Resurvey, Subdivisional Lines, T. 25 S., R. 8 W.

CHAINS	
	N. 0° 33' E., bet. secs. 11 and 12. Descend 15 ft. over N.E. slope, through heavy timber and dense undergrowth.
0.90	Ravine, drains S. 75° E.; asc. 180 ft. over S. E. slope.
10.30	Dirt road, 20 lks. wide, bears N. 50° E. and S. 50° W.
11.60	Ridge, bears N. 50° E. and S. 50° W.; desc. 175 ft. over N.W. slope.
17.90	Ravine, drains S. 80° W.; asc. 130 ft. over broken S.W. slope.
38.20	Spur, slopes N. 80° W.; desc. 25 ft. over N.W. slope.
40.82	The $\frac{1}{4}$ sec. cor. of secs. 11 and 12, determined at record bearing and distance from the original N.E. bearing tree and record distance from the N.W. bearing tree: <div style="margin-left: 40px;"> <p>A fir, 40 ins. diam., bears N. 10° E., 27 lks. dist., with fragmentary scribe marks visible on a bark blaze. Remarkd BT alongside original blaze, with a knife or axe.</p> <p>A fir, 26 ins. diam., bears N. 52 $\frac{3}{4}$° W., 35 lks. dist., with no marks remaining. (Record, N. 55° W.)</p> </div> <p>At the corner point</p> <p>Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 21 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T 25 S R 8 W</p> <p style="margin: 0 0 0 100px;">$\frac{1}{4}$</p> <p style="margin: 0 0 0 100px;">S 11 S 12</p> <p style="margin: 0 0 0 100px;">1964</p> </div> <p>from which new bearing trees</p> <div style="margin-left: 40px;"> <p>A fir, 7 ins. diam., bears N. 4 $\frac{1}{2}$° E., 56blks. dist., mkd. $\frac{1}{4}$ S12 BT.</p> <p>A fir, 7 ins. diam., bears N. 75 $\frac{1}{2}$° W., 61 lks. dist., mkd. $\frac{1}{4}$ S11 BT.</p> </div> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 1° 08' W., beginning new measurement. Descend 40 ft. over N.W. slope.</p>
7.05	Bottom of descent, slopes W.; asc. 30 ft. over S. slope.
15.60	Spur, slopes N.W. ; desc. 370 ft. over N. slope.
23.45	Draw, drains N. 50° W.; desc. 45 ft. along broken W. slope.
27.20	Ravine, drains N. 80° W.; asc. 75 ft. over S.W. slope.
31.80	Spur, slopes W.; desc. 320 ft. over N. slope.
42.15	The cor. of secs. 1, 2, 11 and 12, determined at record distance from the remaining original bearing trees: