

County Surveyor's Record, Douglas County, Oregon

Dependent Resurvey of the W. Bdy., T. 29 S., R. 3 W.

CHAINS

from which bearing trees mkd. by Irving

A fir, 15 ins. diam., bears N. $52 \frac{3}{4}^\circ$ E., $29 \frac{1}{2}$ lks. dist., with a healed blaze and cruiser mark "M".

An oak snag, 18 ins. diam., bears S. 82° W., $61 \frac{1}{2}$ lks. dist., with a rotted blaze.

An oak stump hole, bears N. $61 \frac{1}{2}^\circ$ W., 45 lks. dist.

and bearing trees by Byron

A cedar, 9 ins. diam., bears S. 52° W., 48 lks. dist., mkd. S1 CS BT on double blze.

A fir, 12 ins. diam., bears N. $74 \frac{1}{4}^\circ$ W., 56 lks. dist., mkd. T29S R4W S36 CS BT.

No other suitable trees available within limits.

Add the marks BLM to the brass cap.

N. $1^\circ 35'$ E., on the W. bdy. of sec. 31, marking and blazing the true line.

Ascend 45 ft. over S.E. slope, through scattering timber and light undergrowth, along woven wire fence.

2.00 Spur, slopes S.W., and fence corner from which fences extend N., S., and N.E.; desc. 30 ft. over N.W. slope.

5.00 Ravine, drains S. 85° W.; asc. 100 ft. over S.W. slope.

9.85 Spur, slopes S. 70° W.; desc. 85 ft. over N.W. slope.

15.50 Ravine, drains S. 70° W.; asc. 100 ft. over S.W. slope.

20.95 Spur, slopes S. 50° W.; desc. 55 ft. over N.W. slope.

30.60 Ravine, drains S. 65° W.; asc. 120 ft. over S.W. slope.

40.41 Point for the $\frac{1}{4}$ sec. cor. of sec. 31 only, at proportionate distance; there is no remaining evidence of the original corner.

Set an iron post, 28 ins. long, $2 \frac{1}{2}$ ins. diam., 21 ins. in the ground, with brass cap mkd.

T 29 S
|
 $\frac{1}{4}$
|
S 31
|
R 3 W
1964

from which

A fir, 13 ins. diam., bears N. $81 \frac{3}{4}^\circ$ E., 76 lks. dist., mkd. $\frac{1}{4}$ S31 BT.

A cedar, 20 ins. diam., bears S. $41 \frac{1}{2}^\circ$ E., 84 lks. dist., mkd. $\frac{1}{4}$ S31 BT.

Ascend 130 ft. over s S.W. slope, changing to S.E. slope.

40.45 From this point a fence corner bears West, 0.20 chs. dist., from which fences extend S. and W.

52.75 Ridge, bears N. 65° E. and S. 56° W.; desc. 10 ft. over N.W. slope.