

County Surveyor's Record, Douglas County, Oregon

Dependent Resurvey of the W. Bdy., T. 29 S., R. 3 W.

CHAINS

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.

T 29 S	
$\frac{1}{4}$	
S 1	
R 4 W	
	1964

from which

A fir, 25 ins. diam., bears S. 52° W., 43 lks. dist., mkd. $\frac{1}{4}$ S1 BT.

A fir, 12 ins. diam., bears N. $36\frac{1}{2}^\circ$ W., 44 lks. dist., mkd. $\frac{1}{4}$ S1 BT.

Ascend 235 ft. over S.E. slope.

32.30 Ridge, bears N. 60° E. and S. 60° W., and dirt road, 15 lks. wide, bears same; desc. 95 ft. over N.W. slope.

39.30 The $\frac{1}{4}$ sec. cor. of sec. 6 only, perpetuated and recorded by John H. Markham, Jr., Registered Logging Engineer, in 1962, with a truck axle, $1\frac{1}{2}$ ins. diam., 6 ins. above ground, firmly set, from which the remains of the original bearing trees:

A fir, 26 ins. diam., bears S. $35\frac{1}{2}^\circ$ E., 26 lks. dist., mkd. $\frac{1}{4}$ S BT on bark blaze.
(Record, S. 40° E.)

A sawed fir stump, 38 ins. diam., bears S. $48\frac{3}{4}^\circ$ W., 26 lks. dist., with illegible scribe marks visible.
(Record, S. 45° W., 19 lks.)

and bearing trees mkd. by Markham

A fir, 20 ins. diam., bears N. 57° E., 52 lks. dist., mkd. $\frac{1}{4}$ S6 BT on double blaze.

A fir, 40 ins. diam., bears S. 64° E., 45 lks. dist., mkd. BT $\frac{1}{4}$ S6 T29S R3W on bark blaze.

At the corner point

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.

$\frac{1}{4}$		T 29 S
		R 3 W
S 6		
		1964

Reset truck axle alongside the iron post.

N. $0^\circ 50'$ E., beginning new measurement.

Descend 385 ft. over N.W. slope.

6.20 Enter heavy timber, edge bears S. and W.

28.62 The original closing cor. of Tps. 29 S., Rs. 3 and 4 W., remonumented and recorded by James W. Byron, Deputy County Surveyor, in 1958, with an iron post, 1 in. diam., 16 ins. above ground, firmly set, with brass cap mkd. T28S R3W R4W S1 S6 S36 1958, from which the remains of the original bearing trees: