

## County Surveyor's Record, Douglas County, Oregon

Dependent Resurvey, Subdivisional Lines, T. 29 S., R. 3 W.

CHAINS 76.35	<p>The cor. of secs. 2 and 3 only, on the N. bdy. of the Tp., heretofore described.</p> <p>Land, mountainous. Soil, rocky clay. Timber, fir, pine, cedar, hemlock, madrone, maple, yew, chinquapin, alder, dogwood, and live oak; undergrowth, salal, poison oak, Oregon grape, hazel, arrowwood, vine maple, huckleberry, blackberry, vines and ferns.</p>		
	<p>From the cor. of secs. 2, 3, 10 and 11.</p> <p>N. 85° 53' W., bet. secs. 3 and 10.</p> <p>Ascend 275 ft. over broken SE. slope, through scattering timber and light undergrowth.</p>		
26.00	Spur, slopes S. 30° W.; desc. 255 ft. over SW. slope.		
27.15	Dirt road, 25 lks. wide, bears N. 20° E. and S. 20° W.		
33.60	Creek, 2 lks. wide, course S. 15° E.; asc. 115 ft. over NE. slope, enter logged area, edge bears N. and S.		
37.98	<p>The <math>\frac{1}{4}</math> sec. cor. of secs. 3 and 10, determined at record bearing and distance from the original bearing trees:</p> <p style="padding-left: 40px;">A madrone, 18 ins. diam., bears North, 27 lks. dist., no marks remaining on rotted blaze.</p> <p style="padding-left: 40px;">A madrone, 30 ins. diam., bears S. 48° W., 9 lks. dist., no marks remaining.</p> <p>At the corner point</p> <p>Set an iron post, 28 ins. long, <math>2\frac{1}{2}</math> ins. diam., 21 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 29 S R 3 W</p> <table style="margin: auto;"> <tr> <td style="text-align: center;"><math>\frac{1}{4}</math></td> <td style="text-align: center;"><math>\frac{S 3}{S 10}</math></td> </tr> </table> <p>1964</p> </div> <p>from which new bearing trees:</p> <p style="padding-left: 40px;">A fir, 7 ins. diam., bears N, 78<math>\frac{1}{2}</math>° E., 70 lks. dist., mkd. <math>\frac{1}{4}</math> S 3 BT.</p> <p style="padding-left: 40px;">A cedar, 8 ins. diam., bears S. 23° W., 31<math>\frac{1}{2}</math> lks. dist., mkd. <math>\frac{1}{4}</math> S 10 BT.</p>	$\frac{1}{4}$	$\frac{S 3}{S 10}$
$\frac{1}{4}$	$\frac{S 3}{S 10}$		
	<p>N. 85° 37' W., beginning new measurement.</p> <p>Ascend 40 ft. over NE. slope.</p>		
1.55	Spur, slopes S. 30° E.; desc. 30 ft. over SW. slope.		
3.90	Ravine, drains S. 30° E.; asc. 205 ft. over NE. slope, changing to SE. slope.		
6.10	Enter grassy clearing, edge bears N. and S.		
9.60	Spur, slopes S.; desc. 180 ft. over SW. slope.		
10.60	Dirt road, 15 lks. wide, bears N. 10° E. and S. 10° W., leave grassy clearing, enter dense undergrowth, edge bears N. and S.		