

County Surveyor's Record, Douglas County, Oregon

17

Dependent Resurvey, Portion of W. Bdy., T. 33 S., R. 6 W.

CHAINS

40.54

Point for the $\frac{1}{4}$ Sec. cor. of secs. 1 and 6, at proportionate distance; there is no remaining evidence of the original corner.

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 26 ins. in the ground, with brass cap mkd.

$\frac{1}{4}$
 S 1 | S 6
 R 7 W | R 6 W
 T 33 S
 1963

FD OK
 BY G NY 900
 3/94 M118-79

from which

A Douglas fir, 14 ins. diam., bears N. 17° E.,
 $13\frac{1}{2}$ lks. dist., mkd. $\frac{1}{4}$ S 6 BT.

A incense cedar, 6 ins. diam., bears N. 10° W.,
 42 lks. dist., mkd. $\frac{1}{4}$ S 1 BT.

Descend 155 ft. over NE. slope.

45.85

Creek, 3 lks. wide, course N. 35° W.; asc. 10 ft. over SW. slope.

47.45

Spur, slopes NW.; desc. 200 ft. over N. slope.

57.00

Creek, 2 lks. wide, course N. 40° W.; asc. 20 ft. over SW. slope.

60.81

Point for the N $\frac{1}{16}$ sec. cor. of secs. 1 and 6.

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 26 ins. in the ground, with brass cap mkd.

N $\frac{1}{16}$
 S 1 | S 6
 1963

from which

A douglas fir, 34 ins. diam., bears N. 47° E.,
 49 lks. dist., mkd. N $\frac{1}{16}$ S 6 BT.

A yew, 7 ins. diam., bears S. 21° W., 34 lks.
 dist., mkd. N $\frac{1}{16}$ S 1 BT.

Ascend 15 ft. over SW. slope.

63.05

Spur, slopes N. 60° W.; desc. 250 ft. over N. slope.

74.85

Bottom of descent, edge bears E. and W.; thence over pasture land.

80.00

Road, hard surfaced, 36 lks. wide, bears N. 70° W. and S. 70° E., curving N.

80.50

Point for the witness corner to the standard corner of Tps. 33 S., Rs. 6 and 7 W. At this point a witness Corner has been previously established by Richard Templin, Registered Engineer No. 3024 in 1958, monumented with an iron pipe, 1 in. diam., firmly set, protruding 8 ins. above the ground, with an aluminum disc, 1 in. diam., nailed in the center, mkd. RE 3024, and an iron pipe $\frac{3}{4}$ in. diam., protruding 6 ins. above ground, firmly set alongside, from which Templin's bearing trees: