

County Surveyor's Record, Douglas County, Oregon

Dependent Resurvey, Subdivisional Lines, T. 30 S., R. 7 W.

CHAINS	
	<p>N. 89° 33' W., beginning new measurement.</p> <p>Descend 170 ft. over NW.slope.</p>
5.65	Creek, 1 lk. wide, course S. 60° W.; asc. 105 ft. over SE. slope.
8.65	Spur, slopes S.; desc. 90 ft. over SW. slope.
13.80	Creek, 5 lks. wide, course S. 10° W.; asc. 260 ft. over E. slope.
22.50	Spur, slopes S. 25° E.; desc. 115 ft. over SW. slope.
39.98	<p>The cor. of secs. 15, 16, 21 and 22.</p> <p>Land, mountainous. Soil, rocky clay loam. Timber, fir, white fir, cedar, madrone, pine, yew, chinquapin, live oak, oak, and hemlock; undergrowth, vine maple, hazel, poison oak, Oregon grape, salal, manzanita, huckleberry, blackberry, fern, and ocean spray.</p>
	<p>N. 1° 20' E., bet. secs. 15 and 16.</p> <p>Descend 5 ft. along W. slope, through heavy timber and dense undergrowth.</p>
1.90	Ravine, drains SW.; asc. 350 ft. over S. slope, changing to SW. slope.
26.00	Spur, slopes S. 30° E.; desc. 270 ft. over NE. slope.
39.00	Creek, 1 lk. wide, course S. 40° E.; asc. 20 ft. over S. slope.
39.55	<p>The $\frac{1}{4}$ sec. cor. of secs. 15 and 16, determined at record bearing and distance from the remaining original bearing tree:</p> <p style="padding-left: 40px;">A fir, 33 ins. diam., bears N. 82° E., 24 lks. dist., with fragmentary scribe marks visible on partly opened blaze.</p> <p>At the corner point</p> <p>Set an iron post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T 30 S R 7 W</p> <p style="margin-left: 100px;">↑</p> <p>S 16 S 15</p> <p style="margin-left: 100px;">1965</p> </div> <p>from which a new bearing tree</p> <p style="padding-left: 40px;">A cedar, 18 ins. diam., bears S. 48$\frac{1}{4}$° W., 60$\frac{1}{2}$ lks. dist., marked $\frac{1}{4}$ S16 BT.</p>
	<p>N. 3° 24' E., beginning new measurement.</p> <p>Ascend 320 ft. over S. slope.</p>
11.40	Spur, slopes SE.; desc. 310 ft. over NE. slope.
21.80	Creek, 1 lk. wide, course S. 60° E.; asc. 480 ft. over S. slope.