

County Surveyor's Record, Douglas County, Oregon

Dependent Resurvey, Subdivisional Lines, T. 29 S., R. 4 W.

CHAINS

44.95 Ravine, drains S.; asc. 100 ft. over SW. slope.

51.80 Spur, slopes S. 35° E.; desc. 180 ft. over NE. slope.

61.75 The closing cor. of secs. 12 and 13, monumented with an iron post, 2½ ins. diam., protruding 5 ins. above ground, with brass cap mkd. and witnessed as described in the field notes of the 1964 dependent resurvey of the W. bdy. of T. 29 S., R. 3 W.

From this point the cor. of secs. 7 and 18 only, W. bdy. of T. 29 S., R. 3 W., bears N. 1° 30' E., 24.71 chs. dist. monumented with an iron post, 2½ ins. diam., protruding 6 ins. above ground, firmly set, with brass cap mkd. and witnessed as described in the field notes of the 1964 dependent resurvey of the W. bdy. of T. 29 S., R. 3 W.

From this same point the ¼ sec. cor. of secs. 13 and 18, on the east bdy. of the Tp. bears S. 1° 30' W., 13.89 chs. dist., monumented with an iron post 2½ ins. diam., protruding 5 ins. above ground, firmly set with brass cap mkd. and witnessed as described in the field notes of the 1964 dependent resurvey of the W. bdy. of T. 29 S., R. 3 W.

Land, mountainous.

Soil, rocky clay.

Timber, fir, cedar, hemlock, madrone, maple, chinquapin, alder, yew and dogwood; undergrowth, salal, poison oak, Oregon grape, hazel, arrowwood, vine maple, young timber, ferns and vines.

GENERAL DESCRIPTION

The line between sections 12 and 13, township 29 south, range 4 west, is located about 9 miles east of Myrtle Creek, Oregon. Elevations range from about 1,440 feet above sea level at the corner of sections 11, 12, 13 and 14, to about 1,900 feet above sea level at the ¼ section corner of sections 12 and 13. The area is mountainous and suited mainly for timber growing. Soil in the area consists of rocky clay.

The timber is predominately Douglas fir, with stands of white firm hemlock, cedar, maple, madrone, alder, yew and dogwood. Undergrowth in the area consists of salal, poison oak, arrowwood, hazel, Oregon grape, vine maple, young timber, ferns and vines.

The area is drained by Short Wiley Creek and Louis Creek, into South Myrtle Creek. Access to the area is gained by way of an asphalt road from Myrtle Creek, Oregon. There was no habitation noted along the line.

There were no mineral deposits noted along the lines resurveyed.

The average of 2 readings along the line resurveyed gives a value of 20° E., for mean magnetic declination. There is a range of 30' in local attraction.