

County Surveyor's Record, Douglas County, Oregon

Dependent Resurvey, Subdivisional Lines, T. 22 S., R. 7 W.

CHAINS

Ascend 35 ft. over SE. slope, generally along E. edge of logged area, edge bears N. and SE.

40.44

The cor. of secs. 10, 11, 14, and 15, reestablished at proportionate distance by Wilford N. Haines, Registered Engineer, in 1960, and recorded with the Douglas County Surveyor, monumented with a 1 in. T iron, firmly set, extending 5 ins. above the ground, with brass disc marked Wilford N. Haines, 239 Survey Point, Drain, Oregon, from which bearing trees marked by Haines:

A fir, 10 ins. diam., bears N. 33° E., $60\frac{1}{2}$ lks. dist., with healed blaze.

A fir, 18 ins. diam., bears S. 74° W., 3 lks. dist., with healed blaze.

At the corner point

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass capmkd.

T 22 S R 7 W
S 10 S 11
S 15 S 14
1965

from which new bearing trees

A fir, 7 ins. diam., bears S. 44° E., 71 lks. dist., mkd. T22S R7W S14 BT.

A fir, 11 ins. diam., bears N. $63\frac{1}{2}^{\circ}$ W., 45 lks. dist., mkd. T22S R7W S10 BT.

Deposit T iron alongside the iron post.

Land, mountainous.

Soil, rocky clay loam.

Timber, fir, hemlock, cedar, maple, madrone, dogwood, alder yew, and chinquapin; undergrowth, vine maple, salal, ocean spray, Oregon grape, hazel, huckleberry, blackberry, salmonberry, poison oak, and fern.

From the $\frac{1}{4}$ sec. cor. of secs. 11 and 14, perpetuated and recorded by Wilford N. Haines, Registered Land Surveyor, in 1960, monumented with a 1 in. T iron, firmly set, extending 3 ins. above the ground, with brass disc marked Wilford N. Haines, 239 Survey Point, Drain, Oregon, from which the remaining original bearing trees:

A down and rotted fir, 48 ins. diam., bears S. 50° E., 28 lks. dist., with no marks remaining.
(Record S. 60° E., 26 lks.)

and a bearing tree marked by S. W. Cole. Deputy County Surveyor, in 1915.

A rotted fir stump, size indeterminate, bears N. 41° E., 60 lks. dist.

and bearing trees marked by Haines

A fir, 22 ins. diam., bears N. $6\frac{3}{4}^{\circ}$ W., 43 lks. dist., with partly healed double blaze.

A fir, 22 ins. diam., bears S. 42° W., 26 lks. dist., with partly healed double blaze.