

Subdivision of Sec. 15, T. 32 S., R. 6 W.

CHAINS

From the  $\frac{1}{4}$  sec. cor. of secs. 15 and 22.

N.  $0^{\circ} 02'$  W., on the N. and S. center line of sec. 15.

Over level land, through scattering timber and dense undergrowth.

13.20 Wood Creek, 20 lks. wide, course S.  $85^{\circ}$  E.; asc. 40 ft. over SW. slope.

18.30 Gravelled road, 35 lks. wide, bears N.  $35^{\circ}$  W. and S.  $35^{\circ}$  E.

19.86 Point for the center S  $1/16$  sec. cor. of sec. 15.

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 15 ins. in the bround, to solid rock, and in a mound of stone, 8 ft. base, to top, with brass cap mkd.

C  
S  $1/16/S$  15  
C  
1966

from which

A fir, 8 ins. diam., bears N.  $73^{\circ}$  E., 20 lks. dist., mkd. CS  $1/16$  S15 BT.

A white fir, 26 ins. diam., bears S.  $60^{\circ}$  W., 36 lks. dist., mkd. CS  $1/16$  S15 BT.

Ascend 150 ft. over SW. slope.

30.10 Spur, slopes W.; desc. 10 ft. over NW. slope.

32.00 Ravine, drains S.  $75^{\circ}$  W.; asc. 215 ft. over SW. slope.

39.72 Point for the center  $\frac{1}{4}$  sec. cor. of sec. 15, at intersection with the E. and W. center line.

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

C  $\frac{1}{4}$  S 15  
1966

from which

A cedar, 12 ins. diam., bears S.  $6^{\circ}$  E., 20 lks. dist., mkd. C  $\frac{1}{4}$  S15 BT.

A cedar, 16 ins. diam., bears N.  $55^{\circ}$  W., 6 lks. dist., mkd. C  $\frac{1}{4}$  S15 BT.

Corner falls on spur, slopes N.  $70^{\circ}$  W.

Descend 120 ft. over NW. slope.

47.20 Ravine, drains S.  $75^{\circ}$  W.; asc. 425 Ft. over SW. slope.

59.82 Point for the center N  $1/16$  sec. cor. of sec. 15.

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 22 ins. in the bround, with brass cap mkd.

C  
N  $1/16/S$  15  
C  
1966