

Dependent Resurvey, Portion of S. bdy., T. 29 S., R. 3 W.

CHAINS

to NW., and S., curving to SW.

13.40 Power and telephone line, bears N. 5° E. and S. 5° W.

15.75 Days Creek, 25 lks. wide, course S. 25°W.; asc. 15 ft. over SE. slope.

16.67 Wire fence bears N. 55°E. and S. 55°W.

20.17 The cor. of secs. 4, 5, 32 and 33, perpetuated and recorded by C. W. Springer, Deputy County Surveyor, in 1923, from the remaining original bearing tree which is no longer in existence, monumented with an iron bolt, 24 ins. long, 3/4 in. diam., the top 2 ins. below the surface of the ground, from which bearing trees mkd. by Springer:

An alder snag, 13 ins. diam., bears N. 43°E., 27 lks. dist., with no marks remaining.

A black oak, 18 ins. diam., bears S. 58 1/2°W., 256 lks. dist., with a healed blaze.

An ash, 29 ins. diam., bears N. 9 1/2°W., 320 lks. dist., with a healed blaze.

and a bearing tree mkd. by J. H. Markham, Jr. Registered Logging Engineer, No. 2880, in 1952

An ash, 16 ins. diam., bears S. 14 1/2°E., 74 lks. dist., with scribe marks S4 T30S R3W BT visible on partially healed blaze.

At the corner point

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over the iron bolt, with brass cap mkd.

T 29 S R 3 W

S 32 | S 33

S 5 | S 4

T 30 S

1967

FOUND OK 10/93 M. HULL
M 118-4

from which a new bearing tree

An ash, 17 ins. diam., bears N. 2°E., 150 lks. dist., mkd. T 29 S R 3W S33 BT.

The corner is located at the corner of wire fences which extend S. 3° E., S. 65° W. and N. 3°W.

Land, mountainous.

Soil, rocky clay.

Timber, fir, cedar, madrone, oak, alder, maple, ash, and willow; undergrowth, young timber, salal, fern, poison oak, vine maple, huckleberry, salmonberry and blackberry.

Dependent Resurvey, Portion of Subdivisional Lines,
T. 29 S., R. 3 W., Willamette Meridian, Oregon

(Restoring the 1857 survey by Dennis Hathorn, and the 1881 retracement and survey by William H. Byars)

From the cor. of secs. 33 and 34 only, on the S. bdy. of the Tp.

N. 0° 40' E., bet. secs. 33 and 34, marking and blazing the true line.