

Dependent Resurvey, Portion of Subdivisional Lines, T. 29 S., R. 3 W.

CHAINS

A cedar, 8 ins. diam., bears N. $28\frac{1}{2}^{\circ}$ E., 77 lks. dist.,
mkd. S $1/16$ S33 BT.

A fir, 21 ins. diam., bears S. 43° W., 114 lks.
dist., mkd. S $1/16$ S 32 BT.

Ascend 2 ft. along E. slope.

21.44 Spring branch, 2 lks. wide, course SE.; asc. 110 ft. over
S. slope.

23.60 Wire fence, bears N. 60° E. and S. 60° W.

23.65 Dirt road, 10 lks. wide, bears N. 60° E. and S. 60° W.;
enter partially logged area and dense undergrowth.

27.00 Top of ascent, slopes E.; desc. 10 ft. over NE. slope.

29.50 Bottom of descent, drains E.; asc. 120 ft. over SE. slope.

34.80 Top of ascent, slopes E.; desc. 15 ft. over NE. slope.

38.10 Bottom of descent, drains E.; asc. 40 ft. over SE. slope.

40.08 The $\frac{1}{4}$ sec. cor. of secs. 32 and 33, restored by the method
of broken boundaries; there is no remaining evidence of the
original corner.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in
the ground, with brass cap mkd.

FO. OK 10-93
M. HULL M118-A

$\frac{1}{4}$
S 32/S 33
T 29 S R 3 W
1967

from which

A fir, 17 ins. diam., bears N. $25\frac{1}{4}^{\circ}$ E., 56 lks.
dist. mkd. $\frac{1}{4}$ S33 BT.

A fir, 20 ins. diam., bears N. $11\frac{1}{4}^{\circ}$ W., $74\frac{1}{2}$ lks.
dist., mkd. $\frac{1}{4}$ S32 BT.

An iron pipe, 2 ins. diam., firmly set, extending 2 ins.
above ground, bears North, 1.27 chs. dist.

N. $0^{\circ} 37'$ E., beginning new measurement.

Ascend 15 ft. along E. slope, through heavy timber.

1.50 Spur, slopes E.; desc. 220 ft. over NE. slope.

10.10 Abandoned dirt road, 15 lks. wide, bears E. and W.; enter
logged area; edge bears N. and SW.

12.00 Creek, 2 lks. wide, course E.; asc. 140 ft. over SE. slope.

18.00 Spur, slopes SE.; desc. 55 ft. along E. slope, changing to NE.
slope.

22.30 Creek, 1 lk. wide, course S. 55° E.; asc. 250 ft. over SW.
slope.

36.50 Junction of spurs, which slope E. and SE.; desc. 50 ft. over
NE. slope.

40.22 The cor. of secs. 28, 29, 32, and 33, perpetuated and