

Dependent Resurvey, Portion of Subdivisional Lines, T. 29 S., R. 3 W.

CHAINS

35.45 Creek, 2 lks. wide, course SW.; asc. 75 ft. over SE. slope.

41.02 Point for the $\frac{1}{4}$ sec. cor. of secs. 4 and 9, at proportionate distance; there is no remaining evidence of the original corner.

Set an iron post, 28ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.

T 29 S R 3 W

$\frac{1}{4}$ $\frac{S}{S}$ $\frac{4}{9}$
1966

from which

A fir, 8 ins. diam., bears N. 57° E., $34\frac{1}{2}$ lks. dist., mkd. $\frac{1}{4}$ S4 BT.

A fir, 8 ins. diam., bears S. 59° E., 39 lks. dist., mkd. $\frac{1}{4}$ S9 BT.

Ascend 20 ft. over SE. slope.

42.00 Top of ascent, slopes S.; desc. 200 ft. over W. slope.

45.80 Barbed wire fence, bears N. and S.

47.50 Gravelled road, 20 lks. wide, bears N. and S.

49.25 Weaver Creek, 15 lks. wide, course S.; asc. 300 ft. over E. slope, changing to NE. slope.

56.15 Barbed wire fence, bears N. and S.

61.53 Point for the W $\frac{1}{16}$ sec. cor. of secs. 4 and 9.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

W $\frac{1}{16}$ $\frac{S}{S}$ $\frac{4}{9}$
1966

from which

A fir, 9 ins. diam., bears N. 72° W., 27 lks. dist., mkd. W $\frac{1}{16}$ S4 BT.

A fir, 6 ins. diam., bears S. 47° E., $16\frac{1}{2}$ lks. dist., mkd. W $\frac{1}{16}$ S9 BT.

Ascend 360 ft. over NE. slope, changing to E. slope.

70.00 Leave logged area, enter timber, edge bears N. and S.

82.04 The cor. of secs. 4, 5, 8 and 9.

Land, mountainous.
Soil, rocky clay loam.
Timber, fir, cedar, madrone, oak, pine, chinquapin, maple dogwood, yew, and alder; undergrowth, vine maple, poison oak, salal, fern, hazel, ocean spray, Oregon grape, huckleberry, blackberry, rhododendron, and manzanita.