

County Surveyor's Record, Douglas County, Oregon

Subdivision of Section 32, T. 26 S., R. 8 W.

CHAINS

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

NW 1/16 S32
1967

from which

A fir, 8 ins. diam., bears N. 30° W., 21 lks. dist., mkd. NW 1/16 S32 BT.

A fir, 18 ins. diam., bears S. 72° E., 4 lks. dist., mkd. NW 1/16 S32 BT.

Descend 240 ft. over NW. slope.

32.40 Creek, 2 lks. wide, course N. 25° E.; asc. 30 ft. over SE slope.

35.20 The W 1/16 sec. cor. of secs. 29 and 32.

From the center N 1/16 sec. cor. of sec. 32.

S. $89^{\circ} 29'$ W., on the E. and W. center line of the NW $\frac{1}{4}$ of sec. 32.

Ascend 340 ft. over NE. slope, through heavy timber and dense undergrowth.

12.60 Spur, slopes N.; desc. 45 ft. over NW. slope.

20.35 The NW 1/16 sec. cor. of sec. 32.

Descend 125 ft. over NW. slope.

24.30 Creek, 1 lk. wide, course N. 20° E.; asc. 245 ft. over NE. slope.

35.00 Ridge bears NW. and SE.; asc. 10 ft. along gradual S. slope.

38.00 Callahan Road, 30 lks. wide, bears N. 55° W. and S 55° E.

40.70 The N 1/16 sec. cor. of secs. 31 and 32.

GENERAL DESCRIPTION

The lands included in the foregoing survey are located in mountainous terrain about 16 miles northwesterly from Roseburg, Oregon. The area is drained by a number of tributaries of the Williams River. The elevation ranges from about 1600 feet above sea level at the cor. of secs. 19, 20, 29, and 30 to about 2560 feet above sea level in the northwest quarter of section 30.

Access is by way of Callahan Road, a dirt road traversing along the main ridge in the immediate area.

Soil in the area is composed of a sandy clay loam, from a few inches to several feet in depth overlying sandstone bedrock. The lands are forested with fir, hemlock, cedar, yew, maple, alder, chinquapin, dogwood, madrone, and myrtle; with undergrowth of vine maple, rhododendron, huckleberry, salmonberry, thimbleberry, arrowwood, hazel, young timber, manzanita, ceanothus, poison oak, Oregon grape, salal and fern.

No evidence of mineral was noted in the area covered by the resurvey.

The average of a considerable number of readings throughout the area gives a value of $19^{\circ} 24'$ E. for the mean magnetic declination. There is a range of up to $0^{\circ} 28'$ due to local attraction.