

## County Surveyor's Record, Douglas County, Oregon

Dependent Resurvey, Portion of E. Bdy., T. 21 S., R. 9 W.

## CHAINS

and bearing trees marked by Floyd A. Brooks in 1960:

A fir, 5 ins. diam., bears S.  $87^{\circ}$  E., 74 lks. dist., with healed blaze.A fir stump, 3 ins. diam., bears S.  $43\frac{1}{2}^{\circ}$  E., 38 lks. dist., with scribe marks BT visible on partly healed blaze.

and new bearing trees

A fir, 4 ins. diam., bears N.  $74\frac{1}{2}^{\circ}$  E., 16 lks. dist., mkd T21S R8W S7 BT.A fir, 5 ins. diam., bears S.  $35^{\circ}$  E., 34 lks. dist., mkd. T21S R8W S18 BT.

Land, mountainous.

Soil, sandy loam.

Timber, fir, hemlock, maple, and alder; undergrowth, thimbleberry, arrowwood, salmonberry, blackberry, salal, Oregon grape, vine maple, hazel, and fern.

N.  $0^{\circ} 31'$  E., on the W. bdy, of sec. 7, T. 21 S., R. 8 W.

Ascend 20 ft. along W. slope, through logged and burned area and dense undergrowth.

6.20 Spur, slopes W.; desc. 625 ft. over broken NW. slope.

24.20 Creek, 5 lks. wide, course N.  $60^{\circ}$  E.; asc. 350 ft. over SE. slope.37.07 Point for the  $\frac{1}{4}$  sec. cor. of secs. 12 only, T. 21 S., R. 9 W., established at midpoint latitudinally on the E. bdy. of sec. 12.Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap marked
$$\begin{array}{c} \frac{1}{4} \\ T\ 21\ S \\ S\ 12 \\ R\ 9\ W \\ 1967 \end{array}$$

from which

A fir, 4 ins. diam., bears N.  $13^{\circ}$  W., 118 lks. dist., mkd.  $\frac{1}{4}$  S12 BT.A fir, 5 ins. diam., bears S.  $3^{\circ}$  W., 110 lks. dist., mkd.  $\frac{1}{4}$  S12 BT.

Ascend 15 ft. over SE. slope.

38.29 The  $\frac{1}{4}$  sec. cor. of sec. 7 only, monumented with an iron post, 1 in. diam., extending 12 ins. above ground, firmly set, with brass cap mkd.
$$\begin{array}{c} \frac{1}{4} \\ S\ 7 \\ 1945 \end{array}$$

from which bearing trees marked in 1945

A sawed fir stump, 25 ins. diam., bears N.  $67\frac{1}{4}^{\circ}$  E., 31 lks. dist., with healed blaze.A sawed fir stump, 46 ins. diam., bears S.  $57\frac{1}{4}^{\circ}$  E., 165 lks. dist., with no marks remaining.