

## County Surveyor's Record, Douglas County, Oregon

Dependent Resurvey, Portion of N. Bdy., T. 21 S., R. 9 W.

CHAINS

Descend 30 ft. over SE. slope.

20.20 Bottom of descent, slopes S.; asc. 600 ft. over SW. slope, changing to steep NW. slope.

38.17 Point for the  $\frac{1}{4}$  sec. cor. of sec. 4 only.Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 25 ins. in the ground, with brass cap marked
$$\frac{1}{4}$$


---

S 4  
T 21 S R 9 W  
1966

FND. OK 12/90  
M 111-61

from which

A fir, 6 ins. diam., bears S.  $3^{\circ}$  E., 70 lks. dist., mkd.  $\frac{1}{4}$  S4 BT.A fir, 19 ins. diam., bears S.  $52\frac{1}{2}^{\circ}$  W., 16 lks. dist., mkd.  $\frac{1}{4}$  S4 BT.

Ascend 10 ft. over NW. slope.

38.70 Ridge, bears N.  $15^{\circ}$  W. and S.  $15^{\circ}$  E.; desc. 190 ft. over NE. slope.

44.10 Bottom of descent, slopes N.; asc. 20 ft. over NW. slope.

46.10 Spur, slopes N.  $55^{\circ}$  E.; desc. 105 ft. over SE. slope.48.79 The  $\frac{1}{4}$  sec. cor. of sec. 33 only, T. 20 S., R. 9 W., monumented with an iron post, 1 in. diam., extending 10 ins. above ground, with brass cap marked
$$\frac{1}{4}$$


---

S 33  
S 4  
1953

FD. OK 12/90  
M 111-61

from which bearing trees marked by Tillman in 1953

A fir, 17 ins. diam., bears N.  $18^{\circ}$  E., 8 lks. dist., with healed blaze.A fir, 12 ins. diam., bears S.  $54^{\circ}$  E., 5 lks. dist., with healed blaze.

In the course of the resurvey of this boundary in 1953, this corner was erroneously remonumented as the  $\frac{1}{4}$  sec. cor. of secs. 4 and 33. I destroy the marks on the SE. bearing tree, remove the marks S4 from the brass cap, and mark a new bearing tree:

A fir, 7 ins. diam., bears N.  $65^{\circ}$  W., 18 lks. dist., mkd.  $\frac{1}{4}$  S33 BT.N.  $88^{\circ} 37'$  E., beginning new measurement.

Descend 335 ft. over SE. slope.

8.47 Point for the E  $\frac{1}{16}$  sec. cor. of sec. 4 only, T. 21 S., R. 9 W.Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 21 ins. in the ground, with brass cap marked
$$E \frac{1}{16} S 4$$

1966

from which

A cedar, 6 ins. diam., bears S.  $14^{\circ}$  E., 34 lks. dist., mkd. E.  $\frac{1}{16}$  S4 BT.