

County Surveyor's Record, Douglas County, Oregon

Dependent Resurvey, Portion of subdivisional Lines, T. 23 S., R. 1 W.

CHAINS

89.49 The cor. of secs. 25, 30, 31, and 36, on the W. bdy. of the Tp.
 Land, mountainous.
 Soil, rocky clay.
 Timber, fir, cedar, hemlockm yew, pine, chinquapin, madrone, maple, and alder; undergrowth, vine maple, hazel, arrowwood, salal, Oregon grape, manzanita, wild rose, blackberry, huckleberry, sword fern, and bracken.

From the cor. of secs. 4, 5, 8, and 9.

N. 88° 33' W., bet. secs. 5 and 8.

Ascend 5 ft. over SE. slope, across old logged area, through scattering timber and light undergrowth.

5.35 Spur, slopes S. 10° W.; desc. 10 ft. over SW. slope.

7.10 Creek, 2 lks. wide, course S.; asc. 165 ft. over SE. slope.

30.40 Spur ridge, bears N. 10° E. and S. 10° W.; desc. 150 ft. over general W. slope.

39.50 Point for the $\frac{1}{4}$ sec. cor. of secs. 5 and 8, at proportionate distance; there is no remaining evidence of the original corner.

Set an iron post, 28 ins. long. $2\frac{1}{2}$ ins. diam., 20 ins. in the ground, and in a mound of stone, $3\frac{1}{2}$ ft. base, to top, with brass cap mkd.

T 23 S R 1 W
 $\frac{1}{4}$ $\frac{S 5}{S 8}$
 1966

from which trees marked and recorded by Follett, in 1957

A fir snag, 12 ins. diam., bears N. $41\frac{1}{2}$ ° E., 40 lks. dist. with scribe marks $\frac{1}{4}$ S5 CS BT visible on open blaze.

A hemlock, 15 ins. diam., bears S. $86\frac{1}{2}$ ° E., 29 lks. dist., with scribe marks $\frac{1}{4}$ S8 CS BT visible on partially healed blaze.

And a new bearing tree

A fir, 38 ins. diam. bears N. $43\frac{1}{4}$ ° E., 54 lks. dist., mkd. $\frac{1}{4}$ S5 BT.

Descend 795 ft. over NW slope.

53.50 Shea Creek, 3 lks. wide, course S. 60° W.; asc. 210 ft. over broken SE. slope.

79.00 The cor. of secs. 5, 6, 7, and 8, reestablished at porportionate position and recorded by Ralph L. Follett, Registered Engineer, in 1957, monumented with an ironpipe, 2 ins. diam., firmly set projecting 8 ins. above ground, from which:

A fir, 22 ins. diam., bears N. $45\frac{1}{2}$ ° E., 80 lks. dist., with scribe marks T23S R1W S5 CS BT visible on partially healed blaze.