

Dependent Resurvey, Portion Subdivisional Lines, T. 30 S., R. 6 W.

CHAINS

Land, mountainous.
Soil, rocky clay.
Timber, fir, pine, madrone, oak, and cedar; undergrowth, salal, fern, poison oak, blackberry, and reproduction.

N. 0° 09' E., bet. secs. 9 and 10.

Ascend 17 ft. along E. slope, through heavy timber and moderate undergrowth.

1.50 ^spur, slopes N. 85° E.; desc. 360 ft. over steep broken NE. slope.

8.30 Dirt road, 15 lks. wide, bears N. 65° W. and S. 65° E.

14.20 Creek, 2 lks. wide, course E.; asc. 15 ft. over SE. slope.

14.65 Top of ascent, slopes E.; desc. 15 ft. over NE. slope.

15.20 Creek, 3 lks. wide, course SE.; asc. 540 ft. over steep SW. slope changing to S. slope, along E. edge of logged area.

20.25 Abandoned dirt road, 20 lks. wide, bears NW. and E.

24.00 Dirt road, 20 lks. wide, bears NW. curving to SW. and SE curving to NE.

30.40 Same road, bears NW. and SE. curving to S.

39.76 The $\frac{1}{4}$ sec. cor. of secs. 9 and 10, determined at record bearing and distance from the original bearing trees:

A sawed and burned pine stump, 35 ins. dia;m, bears N. 40° E., 55 lks. dist., with no marks remaining.

A sawed and burned fir stump, 32 ins. diam., bears S. 60° W., 25 lks. dist., with no marks remaining.

and a locally established bearing tree of which I have no record,

A fir snag, 20 ins. diam., bears S. 27° W., 59 lks. dist., with scribe marks $\frac{1}{4}$ S BT visible on open double blaze.

At the corner point

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

$\frac{1}{4}$
S 9 | S 10
T 30 S R 6 W
1967

from which new bearing trees

A fir, 15 ins. diam., bears S. 40° E., 161 lks. dist., mkd. $\frac{1}{4}$ S10 BT.

A white fir, 10 ins. diam., bears S. 73° W., 475 lks. dist. mkd. $\frac{1}{4}$ S9 BT.

The cor. falls at the NW. cor. of timber, edge bears E. and S.

N. 0° 45' W., beginning new measurement.