

County Surveyor's Record, Douglas County, Oregon

Dependent Resurvey, Portion of N. Edy., T. 31 S., R. 5 W.

CHAINS

A pine, 12 ins. diam., bears S. 36° E., 98 lks. dist.,
mkd. E 1/16 S2 BT.

A fir, 25 ins. diam., bears S. 33° W., 235 lks. dist.,
mkd. E 1/16 S2 BT.

Continue along S. slope.

22.00 Spur. slopes SW.; desc. 505 ft. over SW. slope.

38.65 The $\frac{1}{4}$ sec. cor. of sec. 2 only, on the N. bdy. of the Tp., es-
tablished by Byars in 1882, perpetuated and recorded by J. W.
Byron, Deputy County Surveyor, in 1963, monumented with an iron
rod, $\frac{1}{2}$ in. diam., protruding 6 ins. above ground, firmly set,
from which the original bearing trees:

A madrone stump, 20 ins. diam., bears N. 15° W., 28 lks.
dist., with no marks remaining. (Record, 25 lks.)

A madrone, 20 ins. diam., bears S. 10° E., 32 $\frac{1}{2}$ lks. dist.,
with scribe mark T visible on opened blaze. (Record
30 lks.)

and bearing trees mkd. by Byron in 1963,

A madrone, 23 ins. diam., bears N. 27 $\frac{1}{2}$ ° W., 32 lks. dist.,
with scribe marks $\frac{1}{4}$ S35 CS BT visible on open blaze.

A cedar, 15 ins. diam., bears S. 40° E., 43 lks. dist.,
with scribe marks $\frac{1}{4}$ S2 CS BT visible on open blaze.

At the corner point

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the
ground directly over the iron rod, with brass cap mkd.

$\frac{1}{4}$ S 2
T 31 S R 5 W
1967

from which a new bearing tree

A fir, 18 ins. diam., bears S. 46° W., 105 $\frac{1}{2}$ lks. dist.,
mkd. $\frac{1}{4}$ S2 BT.

S. 89° 27' W., beginning new measurement.

Descend 35 ft. over W. slope.

1.22 Point for the $\frac{1}{4}$ sec. cor. of sec. 35 only, on the S bdy. of T. 30
S., R. 5 W., at proportionate distance, based on the 1854 Ford
record. There is no remaining evidence of the original corner.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the
ground, with brass cap mkd.

T 30 S R 5 W
 $\frac{1}{4}$ S 35
1967

from which

A fir, 15 ins. diam., bears N. 7 $\frac{1}{4}$ ° E., 124 lks. dist.,
mkd. $\frac{1}{4}$ S35 BT.

A fir, 33 ins. diam., bears N. 39° W., 76 lks. dist.,
mkd. $\frac{1}{4}$ S35 BT.