

## County Surveyor's Record, Douglas County, Oregon

Dependent Resurvey, Portion Subdivisional Lines, T. 31 S., R. 5 W.

## CHAINS

A cedar, 38 ins. diam., bears S. 22° E., 46 lks. dist., with fragmentary scribe marks visible on open blaze.

A fir, 19 ins. diam., bears N. 10° W., 4 lks. dist., with a healed blaze.

and a new bearing tree and reference monument,

A madrone, 21 ins. diam., bears S. 51° W., 60 lks. dist., mkd. T31S R5W S7 BT.

An iron post, 28 ins. long 2½ ins. diam., set 24 ins. in the ground, for a reference monument, bears S. 30° E., 5 lks. dist., with brass cap mkd. T31S R5W S8 RM 1966 and an arrow pointing to the corner.

Land, mountainous.

Soil, rocky clay with rock outcroppings

Timber, fir, pine, oak, cedar, yew, madrone, chinquapin, dogwood, and alder; undergrowth, manzanita, poison oak, ceanothus, huckleberry blackberry, fern salal, Oregon grape, wild rose, and reproduction.

From the cor. of secs. 4, 5, 8, and 9.

N. 87° 37' W., bet. secs. 5 and 8.

Ascend 105 ft. over NE. slope, through heavy timber and dense undergrowth.

13.00 pur, slopes NW.; desc. 250 ft. over SW. slope.

21.30 Point for the E 1/16 sec. cor. of secs. 5 and 8.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

$$\begin{array}{c} \text{E } 1/16 \quad \frac{\text{S } 5}{\text{S } 8} \\ 1966 \end{array}$$

from which

A fir snag, 15 ins. diam., bears S. 45° W., 5½ lks. dist., mkd. E 1/16 S8 BT.

No bearing tree available within limits in sec. 5.

Descend 680 ft. over broken SW. slope.

42.60 The ¼ sec. cor. of secs. 5 and 8, determined at record bearing and distance from the remaining original bearing tree:

A burned fir snag, 52 ins. diam., bears N. 28° W., 50 lks. dist., with illegible scribe marks visible on opened blaze.

At the corner point

Set an iron post, 28 ins. long 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

$$\begin{array}{c} \text{T } 31 \text{ S } \text{R } 5 \text{ W} \\ \frac{1}{4} \quad \frac{\text{S } 5}{\text{S } 8} \\ 1966 \end{array}$$

from which new bearing trees