

County Surveyor's Record, Douglas County, Oregon

Dependent Resurvey, Portion of Subdivisional Lines, T. 29 S., R. 9 W.

CHAINS

A fir, 10 ins. diam., bears N. 31° E., 23 lks. dist., mkd.
T29S R9W S9 BT.

A fir, 7 ins. diam., bears S. 13° E., 28 lks. dist., mkd.
T29S R9W S16 BT.

A fir, 8 ins. diam., bears S. 54° W., 21 lks. dist., mkd,
T29S R9W S17 BT.

A fir, 11 ins. diam., bears N. 35 ° W., 33 lks. dist., mkd.
T29S R9W S8 BT.

Land, mountainous.

Soil, sandy clay loam.

Timber, fir, hemlock, cedar, chinquapin, alder, maple, and willow;
undergrowth, vine maple, huckleberry, hazel, young timber, arrowwood
salmonberry, thimbleberry, ceanothus, Oregon grape, salal, and fern.

GENERAL DESCRIPTION

The lands included in the foregoing resurvey are located about 18 miles southwesterly from Winston, Oregon. The area is drained by a number of tributaries of Rock Creek. Elevations range from about 1920 feet above sea level near the $\frac{1}{4}$ sec. cor. of sec. 9 only to about 3040 feet above sea level at the southeast corner of section 16.

Access is by way of a paved road and a number of gravelled and dirt roads throughout the area.

Soil is composed of a sandy clay loam from a few inches to several feet in depth overlying a sandstone bedrock. The area is forested with fir, hemlock, cedar, maple, chinquapin, alder, madrone, yew, and willow timber; with undergrowth of vine maple, young timber, huckleberry, salmonberry, thimbleberry, ceanothus, arrowwood, hazel, Oregon grape, salal, and fern.

No evidence of mineral deposits was noted in the area covered by this survey.

The average of a considerable number of readings throughout the area, gives a value of 19° 30' E. for the mean magnetic declination. There is a range of 0° 15' in local attraction.