

Dependent Resurvey, Portion of Subdivisional Lines, T. 27 S., R. 4 W.

CHAINS

from which the remaining bearing trees mkd. by William H. Byars in 1881:

A sawed fir stump, 34 ins. diam., bears S. 55° E., 31 lks. dist., with no marks remaining.

A sawed fir stump, 52 ins. diam., bears N. 60° W., 21 lks. dist., with scribe marks S34 visible on bark blaze.

and bearing trees mkd. by Irving Zirpel, Jr. in 1958

A cedar stump, 15 ins. diam., bears N. 59° E., 110 3/4 lks. dist., with scribe marks T27S R4W S35 SC BT visible on open blaze.

A cedar, 15 ins. diam., bears N. 29 3/4° W., 59 1/2 lks. dist., with scribe marks T27S R4W S34 SC BT visible on open blaze.

N. 0° 13' W., bet. secs. 34 and 35, marking and blazing true line.

Descend 125 ft. over NW. slope, through scattering timber and dense undergrowth.

12.65 Dirt road, 20 lks. wide, bears N. 60° E., and S. 60° W.

18.85 Creek, 3 lks. wide, course N. 20° E.; desc. 130 ft. over broken north slope.

36.10 Pot hole, 40 lks. long by 60 lks. wide, water about 5 ft. deep; des. 40 ft. over broken general N. slope.

40.33 Point for the 1/4 sec. cor. of secs. 34 and 35, at proportionate distance; there is no remaining evidence of the original corner.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

1/4
 S 34 | S 35
 T 27 S | R 4 W
 1970

from which

A fir, 9 ins. diam., bears N. 84 3/4° E., 51 lks. dist., mkd. 1/4 S35 BT.

A fir, 16 ins. diam., bears N. 57 1/2° W., 29 lks. dist., mkd. 1/4 S34 BT.

Descend 210 ft. over broken N. slope.

56.70 Ravine, drains N. 70° E.; desc. 190 ft. over NE. slope.

67.90 South Fork of Deer Creek, 20 lks. wide, course N. 65° W.; asc. 125 ft. over SW. slope.

70.55 Dirt road, 20 lks. wide, bears N. 80° E. and S. 80° W.

80.66 Point for the cor. of secs. 26, 27, 34, and 35, at proportionate distance; there is no remaining evidence of the original corner.