

Dependent Resurvey, Portion of the W. Bdy., T. 30 S., R. 2 W.

CHAINS

and trees by the County Surveyor

A chinquapin, 12 ins. diam., bears N. 32° E., 6 lks. dist., with scribe marks T30S R2W S6 CS BT visible on open double blaze.

A hemlock, 11 ins. diam., bears N. 4 3/4° W., 22 lks. dist., with scribe marks T30S R3W S1 CS BT visible on open double blaze.

Land, mountainous.

Soil, rocky clay.

Timber, fir, cedar, pine, madrone, hemlock, chinquapin, alder, maple, and dogwood; undergrowth, poison oak, manzanita, fern, blackberry, vine maple, hazel, willow, Oregon grape, salal, huckleberry, arrowwood and wild rose.

Dependent Resurvey, Portion of the Subdivisional Lines, T. 30 S., R. 2 W., Willamette Meridian, Oregon

(Restoring the 1909 Survey by Fred Mensch)

From the cor. of secs. 7 and 8 only, on the N. bdy. of sec. 17, monumented with the original slate stone, 16 x 16 x 4 ins., loosely set, 10 ins. in the ground, mkd. with 2 grooves on the N., and 5 grooves on the E. faces, alongside of which is an iron pipe, 1 1/2 ins. diam., firmly set, projecting 12 ins. above ground, perpetuated and recorded by the Douglas County Surveyor, in 1968, with brass cap mkd.

COUNTY SURVEYORS OFFICE

T 30 S R 2 W

S 7 | S 8

S 17

1968

from which the remains of the original bearing tree

A fir stump, 24 ins. diam., bears N. 53° E., 60 lks. dist., with scribe marks R2W S8 visible in negative on overgrowth.

and trees by the County Surveyor

A fir, 16 ins. diam., bears N. 5° E., 29 lks. dist., with scribe marks T30S R2W S8 BT visible on open blaze.

A hemlock, 10 ins. diam., bears S. 48° E., 44 lks. dist., with scribe marks T30S R2W S17 BT visible on open double blaze.

A hemlock, 12 ins. diam., bears N. 17 1/4° W., 103 lks. dist., with scribe marks T30S R2W S7 CS BT visible on open blaze.

N 88° 14' W., along the S. bdy. of sec. 7, marking and blazing the true line.

Descend 30 ft. over SW. slope.

1.74 The cor. of secs. 17 and 18 only, perpetuated and recorded by the Douglas County Surveyor, in 1963, monumented with an iron post, 1 1/2 ins. diam., firmly set, projecting 14 ins. above ground,