

County Surveyor's Record, Douglas County, Oregon

15022

Dependent Resurvey, Portion of Subdivisional Lines,
T. 21 S., R. 4 W., Willamette Meridian, Oregon.

CHAINS	
5.60	Ravine, drains N. 20° W.,; asc. 10 ft. over NE slope.
7.15	Top of ascent, slopes NW.; desc. 40 ft. over NW. slope.
19.30	Centerline of north bound lanes of Interstate Route 5, concrete surfaced, 60 lks. wide, bears N.65° E. and S, 65° W.
19.95	True point for the E 1/16 sec. cor. of secs. 17 and 20, falls in the south bound lanes of Interstate Route 5, where it is impracticable to establish a permanent monument.
20.35	Centerline of the south bound lanes of Interstate Route 5, concrete surfaced, 60 lks. wide, bears N. 65° E., and S. 65° W.
21.35	Point selected for the witness E 1/16 sec. cor. of secs. 17 and 20. Set an iron post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd. <div style="text-align: center;"> $E \frac{1}{16} \begin{matrix} S 17 \\ S 20 \end{matrix} \rightarrow WC$ <p>1972</p> </div> <p>from which a bearing tree</p> <p style="margin-left: 40px;">An alder, 6 ins. diam., bears N. 11° E., 73 lks. dist., mkd. X BT.</p> <p>and a bearing object</p> <p style="margin-left: 40px;">A power pole, bears N. 81° W., 123 lks. dist.</p>
24.10	Centerline of Southern Pacific railroad tracks, 10 lks. wide, bears N. 65° E. and S. 65° W.
33.40	Pass Creek, 15 lks. wide, course S. 20° W.; asc. 10 ft. over SE. slope.
39.90	Point for the 1/4 sec. cor. of secs. 17 and 20, at proportionate distance; there is no remaining evidence of the original corner. Set an iron post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd. <div style="text-align: center;"> $\frac{1}{4} \begin{matrix} S 17 \\ S 20 \end{matrix}$ <p>T 21 S R 4 W 1971</p> </div> <p>from which</p> <p style="margin-left: 40px;">An alder, 6 ins. diam., bears N. 27° W., 50 lks. dist., mkd. 1/4 S17 BT.</p> <p style="margin-left: 40px;">An alder, 10 ins. diam., bears S. 84° W., 12 lks. dist., mkd. 1/4 S20 BT.</p> <p>The corner point is located 10 lks. S. of Pass Creek, 20 lks. wide, course N. 70° W., bending to South.</p>
45.60	Top of ascent, slopes S.; desc. 15 ft. over SW. slope.