

County Surveyor's Record, Douglas County, Oregon

Dependent Resurvey of a Portion of the East Boundary,
T. 25 S., R. 8 W., Willamette Meridian, Oregon.

15206

CHAINS

- Descend 5 ft. over NW. slope.
- 40.305 True point for the 1/4 sec. cor. of secs. 31 and 36, at proportionate distance; there is no remaining evidence of the original corner. This point falls in Hubbard Creek, 40 lks. wide, course N. 10° E., where it is impracticable to establish a permanent monument.
- Ascend 170 ft. over SE. slope.
- 49.70 Top of ascent, slopes E.; desc. 15 ft. over NE. slope.
- 61.10 Hubbard Creek Road, paved, 50 lks. wide, bears N. 45° E., and S. 45° W., also slope changes to SE.
- 66.85 Spur, slopes S. 80° E.; desc. 10 ft. over NE. slope, also enter heavy timber and dense undergrowth.
- 69.80 Ravine, drains S. 80° E.; asc. 20 ft. over SE. slope.
- 72.00 Spur, slopes E.; desc. 15 ft. over NE. slope.
- 73.50 Ravine, drains S. 60° E.; asc. 105 ft. over SE. slope.
- 75.80 Spur, slopes S. 70° E.; desc. 65 ft. over NE. slope.
- 80.61 The cor. of secs. 25, 30, 31, and 36, monumented with an iron post, 2 1/2 ins. diam., firmly set, protruding 4 ins. above the ground, with brass cap mkd.

T. 25 S
R 8 W R 7 W
S 25 | S 30
S 36 | S 31
1964

from which the remains of the original bearing trees

- A fir, 75 ins. diam., bears S. 54° W., 67 lks. dist., with scribe marks B visible on bark blaze.
- A maple, 18 ins. diam., bears S. 89° W., 25 lks. dist., with healed blaze.

and bearing trees mkd. by Arthur Evans, Registered Engineer, No. 2741, in 1952

- A chinquapin, 8 ins. diam., bears N. 49° E., 39 1/2 lks. dist., with healed blaze.
- A root hole, bears S. 75° E., 16 lks. dist., with a down fir alongside, 11 ins. diam., with healed blaze.

and a bearing trees mkd. by Beck, in 1964

- A white fir, 11 ins. diam., bears N. 74° E., 45 lks. dist., with scribe marks T25S R7W S30 BT visible on partially healed blaze.
- A fir, 14 ins. diam., bears N. 27° W., 43 lks. dist., with scribe marks T25S R8W S25 BT visible on partially healed blaze.

and a new bearing tree

- A hemlock, 15 ins. diam., bears S. 64° E., 43 lks. dist., mkd. T25S R7W S31 BT.

FD. OK
 9/30/79
 K. Reed
 Co. Surveyors
 OFFICE
 C. S. 60/27

FD OK PER JOHN STONE
APRIL - 37 M 104 - 15