

# County Surveyor's Record, Douglas County, Oregon

15408

Subdivision of Section 26,  
T. 26 S., R. 3 W., Willamette Meridian, Oregon

CHAINS	
57.20	Spur, ridge, bears N. and S.; desc. 45 ft. over SW. slope.
60.43	Point for the center W 1/16 sec. cor. of sec. 26.  Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.  <div style="text-align: center;"> <math display="block">\begin{array}{c} W\ 1/16 \\ \hline S\ 26 \\ \hline 1972 \end{array}</math> </div> <p>from which</p> <p style="margin-left: 40px;">A fir, 20 ins. diam., bears N. 10° W., 43 lks. dist., mkd. CW 1/16 S26 BT.</p> <p style="margin-left: 40px;">A fir, 11 ins. diam., bears S. 45° E., 35 lks. dist., mkd. CW 1/16 S26 BT.</p> <p>Descend 180 ft. over SW. slope.</p>
74.90	Creek, 3 lks. wide, course S. 10° W.; asc. 40 ft. over SE. slope.
80.58	The 1/4 sec. cor. of secs. 26 and 27.
<p style="text-align: center;">From the center E 1/16 sec. cor. of sec. 26.</p> <p>N: 0° 11' W., on the N. and S. center line fo the NE 1/4 of sec. 26.</p> <p>Ascend 25 ft. over SW. slope, through heavy timber and dense undergrowth.</p>	
3.00	Spur, slopes W.; desc. 95 ft. over NW. slope.
12.10	Ravine, drains S. 40° W.; asc. 85 ft. over SW. slope.
19.99	Point for the NE 1/16 sec. cor. of sec. 26, at intersection with the E. and W. center line of the NE 1/4 of sec. 26.  Set an iron post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.  <div style="text-align: center;"> <math display="block">\begin{array}{c} NE\ 1/16\ S26 \\ \hline 1972 \end{array}</math> </div> <p>from which</p> <p style="margin-left: 40px;">A fir, 11 ins. diam., bears N. 73° E., 57 lks. dist., mkd. NE 1/16 S26 BT.</p> <p style="margin-left: 40px;">A fir, 10 ins. diam., bears S. 55° E., 73 lks. dist., mkd. NE 1/16 S26 BT.</p> <p style="margin-left: 40px;">No other suitable bearing trees available within limits.</p> <p>Ascend 15 ft. over SW. slope.</p>
21.45	Spur, slopes W.; desc. 125 ft. over NW slope.
29.50	Ravine, drains N. 75° W.; asc. 35 ft. over SW. slope

F.D. OK 4/86  
 R.C. GEISLER  
 C.S. 63/34  
 (26" FIR, NW STUMP)