

County Surveyor's Record, Douglas County, Oregon

15449

Dependent Resurvey, Portion of Subdivisional Lines,
T. 19 S., R. 9 W., Willamette Meridian, Oregon

| CHAINS | | |
|--|--|--|
| <p><i>Fd</i> OK JULY, 1981 <i>Les</i> ROBERTS M88-21</p> | | <p>T 19 S R 9 W 1/4 $\frac{S 10}{S 15}$ 1968</p> |
| | | <p>from which</p> <p style="padding-left: 40px;">A fir, 14 ins. diam., bears N. 13° W., 27 lks. dist., mkd. 1/4 S10 BT.</p> <p style="padding-left: 40px;">A fir, 12 ins. diam., bears S. 28° E., 38 lks. dist., mkd. 1/4 S15 BT.</p> <p>Ascend 190 ft. over E. slope.</p> |
| 44.30 | | Spur, slopes N. 30° E.; desc. 190 ft. over NW. slope. |
| 52.90 | | Creek, 1 lk. wide, course N. 50° E.; asc. 350 ft. over SE. slope, changing to E. slope. |
| 60.50 | | Spur, slopes N. 40° E.; desc. 145 ft. over NW. slope. |
| 65.10 | | Ravine, drains N. 40° W.; asc. 50 ft. over NE. slope. |
| 66.80 | | Spur, slopes N. 10° W.; desc. 35 ft. over NW. slope. |
| 68.45 | | Ravine, drains N.; asc. 65 ft. over NE. slope. |
| 70.10 | | Spur, slopes N.; desc. 50 ft. over NW. slope. |
| 71.95 | | Ravine, drains N. 10° W.; asc. 230 ft. over NE. slope. |
| 78.50 | | Ridge, bears N. 60° W. and S. 60° E.; desc. 5 ft. along S. slope. |
| 78.68 | | The cor. of secs. 9, 10, 15, and 16. |
| | | <p>Land, mountainous Soil, rocky clay. Timber, fir, hemlock, cedar, maple, chinquapin, and yew; undergrowth, vine maple, rhododendron, hazel, huckle- berry, salmonberry, and fern.</p> |
| | | <p>N. 0° 14' E., bet. secs. 9 and 10.</p> <p>Ascend 5 ft. over S. slope, through heavy timber and dense undergrowth.</p> |
| 1.00 | | Ridge, bears N. 60° W. and S. 60° E.; desc. 95 ft. over N. slope. |
| 6.30 | | Ravine, drains N. 60° W.; asc. 55 ft. over S. slope. |
| 13.95 | | Spur, slopes NE.; desc. 400 ft. over N. slope. |
| 26.60 | | Creek, 2 lks. wide, course E.; asc. 215 ft. over broken E. slope. |
| 40.97 | | Point for the 1/4 sec. cor. of secs. 9 and 10, at proportionate distance; there is no remaining evidence of the original corner. |
| | | <p>Set an iron post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> |