

15467

Dependent Resurvey of a Portion of the South Boundary,
T. 31 S., R. 4 W., Willamette Meridian, Oregon

CHAINS	
	<p>A root hole, bears N. 45° W., 42 lks. dist., with a down fir alongside, 26 ins. diam., with healed blaze.</p> <p>and a bearing tree mkd. by George J. Wenderoth, Deputy County Surveyor, in 1962</p> <p>A cedar, 12 ins. diam., bears N. 46° E., 22 lks. dist., with scribe marks S34 CS BT visible on partially healed double blaze.</p> <p>No suitable tree available in NW quadrant.</p> <p>From this point, a local corner established and recorded by John H. Markham, Jr., Registered Engineer No. 2880, in 1951, bears S. 75° W., 0.01 chs. dist., monumented with an iron pipe, 1 in. diam., firmly set, protruding 8 ins. above ground.</p> <p>Land, mountainous. Soil, rocky clay. Timber, fir, cedar, madrone, alder, and maple; undergrowth, Oregon grape, poison oak, huckleberry, manzanita, and wild lilac.</p> <hr/> <p>S. 89° 24' W., bet. secs. 4 and 33, on the S. bdy. of the Tp.</p> <p>Descend 210 ft. along S. slope, changing to SW. slope, through scattered timber and dense undergrowth.</p> <p>20.24 Point for the E 1/16 sec. cor. of secs. 4 and 33.</p> <p>Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">E 1/16 $\frac{S\ 33}{S\ 4}$ 1972</p> <p>from which</p> <p>A fir, 8 ins. diam., bears N. 47° E., 47 lks. dist., mkd. E 1/16 S33 BT.</p> <p>A fir, 5 ins. diam., bears S. 30½° W., 19 lks. dist., mkd. E 1/16 S4 BT.</p> <p>Descend 10 ft. over SW. slope.</p> <p>20.85 Creek, 1 lk. wide, course N. 60° W.; desc. 60 ft. over general W. slope.</p> <p>31.95 Leave scattered timber and dense undergrowth, enter open field, edge bears NW. and SE.</p> <p>38.40 Leave open field, enter brush along edge of creek; desc. 20 ft. over W. slope.</p> <p>39.70 Cow Creek, 25 lks. wide, course S. 35° W.; asc. slightly over E. slope.</p> <p>40.48 The ¼ sec. cor. of secs. 4 and 33, perpetuated and recorded by the County Surveyor, in 1966, monumented with an iron rod, ¾ in. diam., firmly set, protruding 6 ins. above ground. This corner falls in bed of Cow Creek, where it is impracticable to set a standard monument, from which the remains of the original bearing trees:</p>