

15521

Dependent Resurvey, Portion of Subdivisional Lines,  
T. 30 S., R. 5 W., Willamette Meridian, Oregon

CHAINS	
	<p>from which a new bearing tree</p> <p>A cedar, 8 ins. diam., bears S. <math>15\frac{3}{4}^{\circ}</math> W., 287 lks. dist., mkd. T30S R5W S11 BT.</p> <p>No other trees available within limits.</p> <p>Land, mountainous. Soil, rocky clay. Timber, fir, oak, cedar, madrone, maple, yew, dogwood, and cascara; undergrowth, fern, salal, poison oak, vine maple, Oregon grape, blackberry, thimbleberry, hazel, and reproduction.</p>
20.62	<p>S. <math>89^{\circ} 51'</math> E., bet. secs. 1 and 12.</p> <p>Ascend 445 ft. over broken NW. slope, through old burn with medium timber and moderate undergrowth.</p> <p>Point for the W 1/16 sec. cor. of secs. 1 and 12.</p> <p>Set an iron post, 28 ins. long, <math>2\frac{1}{2}</math> ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;"> <math display="block">\begin{array}{c} W\ 1/16 \quad \frac{S\ 1}{S\ 12} \\ 1969 \end{array}</math> </p> <p>from which</p> <p>A fir, 6 ins. diam., bears N. <math>12^{\circ}</math> W., 61 lks. dist., mkd. W 1/16 S1 BT.</p> <p>A fir, 8 ins. diam., bears S. <math>35\frac{1}{2}^{\circ}</math> E., 103 lks. dist., mkd. W 1/16 S12 BT.</p> <p>From this point, a locally established corner of no record, bears N. <math>54^{\circ}</math> W., 0.058 chs. dist., monumented with an iron pipe, <math>\frac{3}{4}</math> in. diam., firmly set, projecting 12 ins. above ground.</p> <p>Ascend 45 ft. over NW. slope.</p>
27.25	<p>Spur ridge, bears N. <math>30^{\circ}</math> E. and S. <math>30^{\circ}</math> W., also enter heavy timber and moderate undergrowth, edge bears same; desc. 95 ft. over SE. slope.</p>
37.40	<p>Ridge, bears NW. and SE.; desc. slightly along N. slope.</p>
41.24	<p>The <math>\frac{1}{4}</math> sec. cor. of secs. 1 and 12, perpetuated and recorded by A. R. Evans, Deputy County Surveyor, in 1951, and subsequently perpetuated and recorded by James W. Byron, Deputy County Surveyor, in 1963, monumented with an iron rod, <math>\frac{5}{8}</math> in. diam., firmly set, projecting 5 ins. above ground, from which the remains of the original bearing trees:</p> <p>An oak, 16 ins. diam., bears N. <math>81\frac{1}{2}^{\circ}</math> E., 36 lks. dist., with opened and decayed blaze.</p> <p>and the remains of bearing trees mkd. by Evans</p> <p>A fir, 30 ins. diam., bears N. <math>12^{\circ}</math> E., 59 lks. dist., with scribe marks <math>\frac{1}{4}</math> S1 CS BT visible on bark blaze.</p>