

Dependent Resurvey, Portion of Subdivisional Lines,  
T. 30 S., R. 5 W., Willamette Meridian, Oregon

15560

CHAINS	
39.60	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 8 and 17, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set an iron post, 28 ins. long, <math>2\frac{1}{2}</math> ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 30 S R 5 W <math>\frac{1}{4}</math> <math>\frac{S 8}{S 17}</math> 1969</p> <p>from which</p> <p style="padding-left: 40px;">An oak, 11 ins. diam., bears N. <math>88^\circ</math> E., 61 lks. dist., mkd. <math>\frac{1}{4}</math> S8 BT.</p> <p style="padding-left: 40px;">An oak, 13 ins. diam., bears S. <math>3\frac{1}{2}^\circ</math> W., <math>50\frac{1}{2}</math> lks. dist., mkd. <math>\frac{1}{4}</math> S17 BT.</p> <p>Descend 35 ft. over W. slope.</p>
47.50	Spur, slopes W.; desc. 255 ft. over SW. slope.
56.05	Ravine, drains N. $55^\circ$ W.; desc. 35 ft. over SW. slope.
59.40	<p>Point for the W <math>\frac{1}{16}</math> sec. cor. of secs. 8 and 17.</p> <p>Set an iron post, 28 ins. long, <math>2\frac{1}{2}</math> ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">W <math>\frac{1}{16}</math> <math>\frac{S 8}{S 17}</math> 1969</p> <p>from which</p> <p style="padding-left: 40px;">A madrone, 15 ins. diam., bears N. <math>75\frac{1}{2}^\circ</math> W., 85 lks. dist., mkd. W <math>\frac{1}{16}</math> S8 BT.</p> <p style="padding-left: 40px;">A fir, 22 ins. diam., bears S. <math>36\frac{1}{2}^\circ</math> E., 26 lks. dist., mkd. W <math>\frac{1}{16}</math> S17 BT.</p> <p>Descend 300 ft. over SW. slope.</p>
73.30	Ravine, drains N. $75^\circ$ W.; asc. 45 ft. over NE. slope.
79.20	<p>The cor. of secs. 7, 8, 17, and 18.</p> <p>Land, mountainous. Soil, rocky clay loam. Timber, oak, fir, madrone, maple, and pine; undergrowth, hazel, poison oak, and reproduction.</p>
<p>GENERAL DESCRIPTION</p> <p>The area covered in this resurvey lies such that the small town of Canyonville, Oregon, is located in the southern portion of the township and the small town of Tri City, Oregon, is located in the western portion of the township. The terrain in this area ranges from mountainous to bottom land, with elevations ranging from about 630 feet above sea level near the E <math>\frac{1}{16}</math> section corner of sections 18 and 19, to about 2,000 feet above sea level near the N <math>\frac{1}{16}</math> section corner of sections 1 and 2. The soil is generally rocky clay with loam along the bottom land.</p>	