

Dependent Resurvey, Portion of Subdivisional Lines, 15605
T. 30 S., R. 7 W., Willamette Meridian, Oregon

CHAINS	
	<p>A fir, 9 ins. diam., bears N. $39\frac{3}{4}^{\circ}$ W., 22 lks. dist., mkd. E 1/16 S4 BT.</p> <p>A fir, 5 ins. diam., bears S. $16\frac{1}{4}^{\circ}$ W., $34\frac{1}{2}$ lks. dist., mkd. E 1/16 S9 BT.</p> <p>Descend 260 ft. over NW. slope.</p>
25.75	Creek, 2 lks. wide, course N. 5° W.; asc. 55 ft. over NE. slope.
27.60	Spur, slopes N. 25° E.; desc. 5 ft. over NW. slope.
29.60	Ravine, drains N. 50° E.; asc. 75 ft. over SE. slope.
29.75	Foot of bluff, faces E., edge bears N. and S.; asc. 120 ft. over E. face.
31.10	Top of bluff, edge bears N. and S.; asc. 155 ft. over SE. slope.
38.40	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 4 and 9, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;"> $\frac{1}{4}$ $\frac{S\ 4}{S\ 9}$ T 30 S R 7 W 1975 </p> <p>from which</p> <p>A fir, 7 ins. diam., bears N. 31° E., 11 lks. dist., mkd. $\frac{1}{4}$ S4 BT.</p> <p>A fir, 22 ins. diam., bears S. 21° W., $31\frac{1}{2}$ lks. dist., mkd. $\frac{1}{4}$ S9 BT.</p> <p>Ascend 85 ft. over SE. slope.</p>
42.20	Ridge, bears N. 10° E. and S. 10° W.; desc. 280 ft. over NW. slope.
64.15	Ravine, drains N. 10° E.; asc. 75 ft. over NE. slope.
70.20	Spur, slopes N. 10° W.; desc. 15 ft. over NW. slope.
72.85	Creek, 1 lk. wide, course N. 10° W.; asc. 185 ft. over NE. slope.
76.80	The cor. of secs. 4, 5, 8, and 9.
	<p>Land, mountainous. Soil, rocky clay. Timber, fir, hemlock, cedar, maple, oak, alder, and myrtle; undergrowth, salal, poison oak, vine maple, and fern.</p>
	<p>N. $2^{\circ} 01'$ E., bet. secs. 4 and 5.</p> <p>Descend 585 ft. over NE. slope, through old clear cut.</p>
19.75	Ravine, drains N. 35° W.; asc. 2 ft. over SW. slope.