

15680

Dependent Resurvey, Portion of Subdivisional Lines,  
T. 31 S., R. 5 W., Willamette Meridian, Oregon

CHAINS

A grand fir, 14 ins. diam., bears N. 87° E., 45½  
lks. dist., with healed blaze.

A grand fir, 14 ins. diam., bears S. 9½° E., 24  
lks. dist., with healed blaze.

A grand fir, 8 ins. diam., bears S. 87½° W., 15½  
lks. dist., with healed blaze.

A grand fir, 9 ins. diam., bears N. 43° W., 14  
lks. dist., with healed blaze.

At the corner point

Set an iron post, 28 ins. long, 2½ ins. diam., 22 ins.  
in the ground, with brass cap mkd.

T	31	S	R	5	W
	S	3	S	2	
	S	10	S	11	
				1973	

Deposit iron rod alongside iron post.

Land, mountainous.

Soil, rocky clay loam with rock outcroppings.

Timber, cedar, fir, hemlock, madrone, pine, live oak,  
chinquapin, and maple; undergrowth, hazel, arrowwood,  
salal, fern, manzanita, and poison oak.

From the cor. of secs. 1, 2, 11, and 12.

S. 89° 35' W., bet. secs. 2 and 11.

Ascend 15 ft. over SE. slope, across Interstate Highway  
No. 5.

2.30 Center of southbound lanes, Interstate Highway No. 5,  
60 lks. wide, bears N. 75° W. and S. 75° E.

8.10 Paved road, 50 lks. wide, bears N. 30° E. and S. 30° W.,  
also top of ascent, slopes S.; desc. 45 ft. over W.  
slope.

10.65 Canyon Creek, 12 lks. wide, course N. 40° W., also enter  
scattering timber and dense undergrowth, edge bears NW.  
and SE.; asc. slightly over nearly level ground.

13.85 West Fork Canyon Creek, 7 lks. wide, course N. 20° E.;  
asc. 300 ft. over E. slope.

20.155 Point for the E 1/16 sec. cor. of secs. 2 and 11.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins.  
in the ground, with brass cap mkd.

E	1/16	S	2
		S	11
			1973

from which

A fir, 15 ins. diam., bears N. 10½° E., 30 lks.  
dist., mkd. E 1/16 S2 BT.

A fir, 13 ins. diam., bears S. 10½° W., 8½ lks.  
dist., mkd. E 1/16 S11 BT.