

Dependent Resurvey, Portion of Subdivisional Lines,
T. 31 S., R. 7 W., Willamette Meridian, Oregon

CHAINS

A fir, 20 ins. diam., bears S. $54\frac{1}{2}^{\circ}$ E., 34 lks.
dist., mkd. T31S R7W S11 BT.

A fir, 30 ins. diam., bears S. $39\frac{1}{2}^{\circ}$ W., 83 lks.
dist., mkd. T31S R7W S10 BT.

A fir, 15 ins. diam., bears N. $53\frac{1}{2}^{\circ}$ W., 104 lks.
dist., mkd. T31S R7W S3 BT.

Land, mountainous.

Soil, rocky clay.

Timber, fir, hemlock, cedar, madrone, chinquapin, maple,
alder, and oak; undergrowth, hazel, arrowwood, vine maple,
salal, Oregon grape, poison oak, rhododendron, and fern.

From the $\frac{1}{4}$ sec. cor. of secs. 2 and 11, perpetuated and
recorded by the Douglas County Surveyor, in 1962, monu-
mented with an iron post, 2 ins. diam., firmly set,
projecting 12 ins. above ground, with brass cap mkd.

COUNTY SURVEYORS OFFICE

T 31 S	R
$\frac{1}{4}$ S 2	7
S 11	W
1962	

from which the remains of the original bearing trees

A burned fir snag, size indeterminate, bears
N. 38° W., 52 lks. dist., no marks visible.

A pine, 40 ins. diam., bears S. 55° W., 46 lks.
dist., with burned blaze.

and a bearing tree mkd. by the County Surveyor

A madrone, 10 ins. diam., bears N. 27° E., 24
lks. dist., with scribe marks $\frac{1}{4}$ S2 CS BT
visible on open double blaze.

S. $88^{\circ} 11'$ W., bet. secs. 2 and 11.

Descend 510 ft. over general W. slope, through moderate
timber and undergrowth.

- 11.35 Ravine, drains S. 40° W.; asc. 100 ft. over SE. slope.
- 15.90 Top of ascent, slopes SW.; desc. 30 ft. over W. slope.
- 18.25 Ravine, drains S. 10° E.; asc. 40 ft. over E. slope.
- 22.00 Spur, slopes S.; desc. 400 ft. over SW. slope.
- 32.60 Ravine, drains S. 55° W.; desc. 25 ft. over SW. slope.
- 34.35 Iron Mountain Creek, 10 lks. wide, course N. 40° W.;
asc. 10 ft. over NE. slope.
- 37.10 Creek, 2 lks. wide, course N. 40° E.; asc. 180 ft. over
NE. slope.
- 41.10 The cor. of secs. 2, 3, 10, and 11.

Land, mountainous.

Soil, rocky clay.