

15771

Dependent Resurvey, Portion of Subdivisional Lines,
T. 29 S., R. 8 W., Willametta Meridian, Oregon

CHAINS

Set an iron post, 28 ins. long, 2½ ins. diam., 22 ins. in the ground, with brass cap mkd.

FD OK
M. Smalley
895 M119-69

W C
¼ $\frac{S 8}{S 17}$ →
T 29 S R 8 W
1973

from which

A fir, 12 ins. diam., bears N. 74½° E., 48 lks. dist., mkd. X BT.

A black oak, 12 ins. diam., bears S. 65½° E., 64 lks. dist., mkd. X BT.

Ascend 40 ft. over SE. slope.

9.95 Spur, slopes S. 68° W.; desc. 80 ft. over SW. slope.

14.35 Leave field, edge bears N. and S., enter heavy reproduction and dense undergrowth.

39.65 The cor. of secs. 7, 8, 17, and 18.

Land, rolling open pasture land.
Soil, rocky clay loam and sandy loam in the lower areas. Timber, fir, hemlock, cedar, oak, alder, maple, madrone, pine, and yew; undergrowth, vine maple, poison oak, salal, hazel, ocean spray, fern, blackberry, and huckleberry.

S. 88° 54' W., bet. secs. 7 and 18.

Descend 10 ft. over W. slope, through scattered timber and dense undergrowth.

2.00 Middle Fork Coquille River, 25 lks. wide, course South; asc. 45 ft. over gently rolling pasture land.

39.50 Upper Camas Road, paved, 50 lks. wide, bears N. and S.

40.01 Point for the ¼ sec. cor. of secs. 7 and 18, at proportionate distance; there is no remaining evidence of the original corner.

Set an iron post, 28 ins. long, 2½ ins. diam., the top 12 ins. below the ground, with brass cap mkd.

T 29 S R 8 W
¼ $\frac{S 7}{S 18}$
1973

from which a bearing tree mkd. by Byron

A twin fir, 30 ins. diam., bears S. 58½° E., 72 lks. dist., with healed double blaze.

and a new bearing tree

A fir, 14 ins. diam., bears N. 27½° W., 534 lks. dist., mkd. ¼ S7 BT.