

Dependent Resurvey of a Portion of the Boundaries of
Donation Land Claim No. 40,
T. 29 S., R. 7 W., Willamette Meridian, Oregon

CHAINS	<p>Land, rolling hills. Soil, rocky clay loam. Timber, fir, cedar, hemlock, madrone, maple, oak, and yew; undergrowth, vine maple, hazel, salal, fern, field grass, and poison oak.</p>
	<p>Dependent Resurvey of a Portion of the Subdivisional Lines of Section 9, T. 29 S., R. 7 W., Willamette Meridian, Oregon</p>
	<p>(Correcting the 1955 survey by Hans W. Thielsen, Cadastral Surveyor)</p> <hr/> <p>From the center W 1/16 sec. cor. of sec. 9, monumented with an iron post, 1 in. diam., firmly set, protruding 6 ins. above ground, with brass cap mkd.</p> <div style="text-align: center;"> $\begin{array}{c} \text{W } 1/16 \\ \text{---} \\ \text{S } 9 \\ \text{---} \\ \text{C} \end{array}$ <p>1955</p> </div> <p>from which the remains of the original bearing trees</p> <p>A fir snag, 8 ins. diam., bears N. 10½° E., 13 lks. dist., with scribe marks CW 1/16 S9 BT visible on open blaze.</p> <p>A root hole, bears S. 16½° E., 29 lks. dist., with a down fir alongside, 9 ins. diam., with scribe marks CW 1/16 S9 BT visible on open blaze.</p> <p>and new bearing trees</p> <p>A fir, 16 ins. diam., bears N. 3° W., 45 lks. dist., mkd. CW 1/16 S9 BT.</p> <p>A fir, 14 ins. diam., bears S. 55° E., 40 lks. dist., mkd. CW 1/16 S9 BT.</p> <p>N. 3° 16' E., on the N. and S. center line of the NW¼ of sec. 9.</p> <p>Ascend 20 ft. over SE. slope, through heavy timber and dense undergrowth.</p> <p>3.80 Spur, slopes N. 40° E.; desc. 160 ft. over NW. slope.</p> <p>10.10 Intersect the S. bdy. of Donation Land Claim No. 40, and point for closing cor. on the N. and S. center line of the NW¼ of sec. 9.</p> <p>From this point the closing cor. on the N. and S. center line of the NW¼ of sec. 9, erroneously established by Thielsen, in 1955, bears S. 0° 35' E., 0.398 chs. dist., set, marked, and witnessed as described in the official record. I remove the iron post, destroy the marks on the bearing trees, and at the point of intersection</p> <p>Reset the iron post, 36 ins. long, 1 in. diam., 30 ins. in the ground, with brass cap mkd.</p>