

15993

Dependent Resurvey, Portion of Subdivisional Lines,
T. 32 S., R. 8 W., Willamette Meridian, Oregon

CHAINS					
	<p>Land, mountainous. Soil, rocky clay. Timber, fir, pine, cedar, oak, madrone, and maple; undergrowth, poison oak, hazel, vine maple, huckleberry, salal, and Oregon grape.</p> <hr/> <p>From the cor. of secs. 4, 5, 8, and 9, determined at record distance from the remains of the original bearing trees:</p> <p>A fir snag, 42 ins. diam., bears S. 57° E., 22 lks. dist., no original marks visible. This tree was rescribed by James W. Byron, Deputy County Surveyor, in 1958, and has scribe marks T32S R8W S9 CS BT visible on bark blaze. (Record, S. 65° E.)</p> <p>A fir snag, 25 ins. diam., bears N. 54° W., 23 lks. dist., no original marks visible. This tree was rescribed by James W. Byron, Deputy County Surveyor, in 1958, and has scribe marks R8W S5 CS visible on partially healed blaze.</p> <p>and a bearing tree mkd. by James W. Byron, Deputy County Surveyor, in 1958</p> <p>A fir, 42 ins. diam., bears N. 55½° E., 42 lks. dist., with healed blaze.</p> <p>and the remains of a bearing tree mkd. by John M. Powell, Deputy County Surveyor, in 1967</p> <p>A sawed fir stump, 40 ins. diam., bears S. 8° E., 113 lks. dist., no marks visible.</p> <p>At the corner point</p> <p>Set an iron post, 28 ins. long, 2½ ins. diam, 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 32 S R 8 W</p> <table style="margin: auto;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 5</td> <td style="padding: 0 5px;">S 4</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 8</td> <td style="padding: 0 5px;">S 9</td> </tr> </table> <p>1975</p> </div> <p>from which a new bearing tree</p> <p>A fir, 10 ins. diam., bears S. 26½° W., 142 lks. dist., mkd. T32S R8W S8 BT.</p> <p>No suitable tree available within limits in SE. quadrant.</p> <p>N. 0° 24' W., bet. secs. 4 and 5.</p> <p>Ascend 5 ft. along W. slope, through heavy timber and dense undergrowth.</p> <p>0.60 Spur, slopes W.; desc. 90 ft. over NW. slope.</p> <p>3.20 West Fork of Cow Creek, 50 lks. wide, course S. 50° W.; asc. 430 ft. over SE. slope.</p> <p>24.90 Spur, slopes E.; desc. 295 ft. over NE. slope.</p> <p>38.98 The ½ sec. cor. of secs. 4 and 5, determined at record bearing and distance from the remaining original bearing tree:</p>	S 5	S 4	S 8	S 9
S 5	S 4				
S 8	S 9				