

16042

Dependent Resurvey, Portion of Subdivisional Lines,
T. 22 S., R. 9 W., Willamette Meridian, Oregon

CHAINS	
10.85	Spur, slopes N. 20° E.; desc. 90 ft. over steep NW. slope.
14.00	Creek, 5 lks. wide, drains N. 30° E.; asc. 130 ft. over NE. slope.
17.80	Spur, slopes N.; desc. 360 ft. over NW. slope.
39.94	The cor. of secs. 14, 15, 22, and 23.
	Land, mountainous. Soil, rocky clay. Timber, fir, hemlock, cedar, maple, alder, madrone, and chinquapin; undergrowth, fern, Oregon grape, vine maple, salal, poison oak, rhododendron and scotch broom.
	From the cor. of secs. 27 and 35 only, on the W. bdy. of sec. 26.
	S. 86° 09' W., bet. secs. 27 and 35.
	Ascend 55 ft. along S. slope, through moderate timber and dense undergrowth.
9.23	The cor. of secs. 34 and 35 only, determined at record bearing and distance from a bearing tree mkd. by Worrick, in 1894: A cedar, 50 ins. diam., bears S. 4° E., 116 lks. dist., with illegible scribe marks visible on partially healed blaze. and a bearing tree of which I have no record A fir, 33 ins. diam., bears S. 50° W., 9 lks. dist., no marks visible on open blaze. At the corner point Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd. T 22 S R 9 W S 27 S 34 S 35 1974
	from which new bearing trees A fir, 14 ins. diam., bears S. 65° E., 67 lks. dist., mkd. T22S R9W S35 BT. A fir, 13 ins. diam., bears S. 8° E., 146 lks. dist., mkd. T22S R9W S35 BT. No suitable tree available within limits in sec. 34. S. 89° 31' W., along the N. bdy. of sec. 34. Ascend 15 ft. over SE. slope, through dense timber and undergrowth.
3.30	Creek, 1 lk. wide, course S. 70° E.; asc. 50 ft. over NE. slope.
5.40	Creek, 1 lk. wide, course N. 65° E.; asc. 435 ft. over NE. slope.