

16094

Dependent Resurvey of a Portion of the South Boundary,  
T. 19 S., R. 7 W., Willamette Meridian, Oregon

CHAINS	
	<p>From the <math>\frac{1}{4}</math> sec. cor. of sec. 36 only, monumented with an iron post, 1 in. diam., firmly set, marked and witnessed as described in the field notes of the dependent resurvey of a portion of the S. bdy. of T. 19 S., R. 7 W., executed concurrently under this same Group.</p> <p>N. <math>89^{\circ} 53'</math> W., on the S. bdy. of sec. 36, marking and blazing the true line.</p> <p>Descend 40 ft. along top of ridge, through heavy timber and dense undergrowth.</p>
2.30	Leave ridge, bears E. and N. $85^{\circ}$ W.; desc. 190 ft. over SW. slope.
4.00	Gravelled road, 30 lks. wide, bears NW., curving N. and SE.
13.06	Point for the $\frac{1}{4}$ sec. cor. of sec. 1 only, T. 20 S., R. 7 W., hereinafter described.
	Descend 60 ft. over broken SW. slope.
26.40	Ravine, drains S. $20^{\circ}$ E.; asc. 150 ft. over SE. slope.
35.30	Top of ascent, slopes S.; desc. 25 ft. over SW. slope.
39.66	<p>The cor. of secs. 35 and 36 only, determined from an original bearing tree:</p> <p style="padding-left: 40px;">A fir, 58 ins. diam., bears N. <math>20^{\circ}</math> W., 68 lks. dist., with healed blaze.</p> <p>and the remains of bearing trees mkd. by Price and Tillman</p> <p style="padding-left: 40px;">A decayed fir stump, 32 ins. diam., bears N. <math>69^{\circ}</math> E., 48 lks. dist., with scribe marks T19S R7W S36 BT visible on open blaze.</p> <p style="padding-left: 40px;">A fir, 37 ins. diam., bears N. <math>12\frac{1}{2}^{\circ}</math> W., 34 lks. dist., with healed blaze. (Record, N. <math>5^{\circ}</math> W.)</p> <p>and a bearing tree mkd. by Wayne R. Tinglum, Engineering Technician for the Bureau of Land Management, in 1972</p> <p style="padding-left: 40px;">A fir, 8 ins. diam., bears N. <math>82\frac{1}{2}^{\circ}</math> E., 58 lks. dist., with scribe marks T19S R7W visible on partially healed blaze.</p> <p>At the corner point</p> <p>Set an iron post, 28 ins. long, <math>2\frac{1}{2}</math> ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; padding: 10px 0;"> <p>T 19 S R 7 W</p> <p>S 35   S 36</p> <p>S 1</p> <p>T 20 S R 7 W</p> <p>1977</p> </div> <p>Set a 5 ft. steel fence post alongside iron post.</p> <p>Land, mountainous..</p> <p>Soil, rocky clay.</p> <p>Timber, fir, hemlock, cedar, maple, alder, chinquapin, madrone, and dogwood; undergrowth, ceanothus, manzanita, vine maple, hazel, arrowwood, huckleberry, Oregon grape, salal, and fern.</p>