

Dependent Resurvey, Portion of Subdivisional Lines,
T. 20 S., R. 7 W., Willamette Meridian, Oregon

CHAINS	
	<p>A fir, 30 ins. diam., bears N. $7\frac{1}{2}^{\circ}$ W., 43 lks. dist., mkd. T20S R7W S11 BT.</p> <p>Deposit corner stone and set a 5 ft. steel fence post alongside iron post.</p> <p>Land, mountainous. Soil, rocky clay. Timber, fir, hemlock, cedar, yew, maple, alder, madrone, chinquapin, and dogwood; undergrowth, vine maple, hazel, arrowwood, huckleberry, Oregon grape, salal, and fern.</p>
	<p>From the cor. of secs. 12 and 13 only, on the E. bdy. of the Tp., monumented with an iron post, $2\frac{1}{2}$ ins. diam., firmly set, mkd. and witnessed as described in the field notes of the dependent resurvey of a portion of the E. bdy. of T. 20 S., R. 7 W., executed concurrently under this same Group.</p> <p>S. $89^{\circ} 33'$ W., bet. secs. 12 and 13.</p> <p>Ascend 125 ft. over NE. slope, through heavy timber and dense undergrowth.</p>
6.50	Spur, slopes S. 20° E.; desc. 165 ft. over broken SW. slope.
17.40	Ravine, drains S.; asc. 40 ft. over SE. slope.
19.735	Point for the E $\frac{1}{16}$ sec. cor. of secs. 12 and 13.
	<p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">E $\frac{1}{16}$ $\frac{S}{S}$ $\frac{12}{13}$ 1977</p> <p>from which</p> <p>A fir, 37 ins. diam., bears N. 26° W., $39\frac{1}{2}$ lks. dist., mkd. E $\frac{1}{16}$ S12 BT.</p> <p>A fir, 30 ins. diam., bears S. $28\frac{1}{4}^{\circ}$ E., 22 lks. dist., mkd. E $\frac{1}{16}$ S13 BT.</p> <p>Set a 5 ft. steel fence post alongside iron post.</p> <p>Ascend slightly over SE. slope.</p>
19.90	Spur, slopes S.; desc. 155 ft. over SW. slope.
26.70	Dry creek bed, 3 lks. wide, course S. 40° E., from N. 75° W.; asc. 295 ft. over NE. slope, changing to E. slope.
33.90	Dirt road, 15 lks. wide, on top of ridge, bears N. and S.; desc. 265 ft. over W. slope, changing to SW. slope.
39.47	Point for the $\frac{1}{4}$ sec. cor. of secs. 12 and 13, at proportionate distance; there is no remaining evidence of the original corner.
	<p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 26 ins. in the ground, with brass cap mkd.</p>