

16144

Dependent Resurvey, Portion of Subdivisional Lines,  
T. 23 S., R. 4 W., Willamette Meridian, Oregon

## CHAINS

An oak, 35 ins. diam., bears West, 19 lks. dist., with healed blaze.

A 1 in. "T" shaped iron rod, bears South, 0.03 chs. dist.

and a bearing tree mkd. and recorded by Vernon Tracy, Deputy County Surveyor, in 1965

An oak, 28 ins. diam., bears N.  $77\frac{1}{2}^{\circ}$  E., 125 lks. dist., with healed blaze.

I add reference monuments

An iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., set 24 ins. in the ground, for a reference monument, bears S.  $13\frac{1}{2}^{\circ}$  E., 46 lks. dist., with brass cap mkd. T23S R4W S14 RM 1976, and an arrow pointing to the corner.

An iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., set 24 ins. in the ground, for a reference monument, bears S.  $62\frac{1}{2}^{\circ}$  W.,  $40\frac{1}{2}$  lks. dist., with brass cap mkd. T23S R4W S15 RM 1976, and an arrow pointing to the corner.

Corner is located in south rut of private gravelled driveway, 15 lks. wide, bears E. and W.; no permanent monument established at the request of the landowner.

Land, mountainous.

Soil, rocky clay.

Timber, fir, hemlock, cedar, maple, oak, myrtle, alder, chinquapin, and dogwood; undergrowth, salal, poison oak, hazel, Oregon grape, rhododendron, vine maple, and fern.

From the cor. of secs. 33 and 34 only, on the S. bdy. of the Tp.

N.  $0^{\circ} 36'$  W., bet. secs. 33 and 34.

Descend 10 ft. over NE. slope, through heavy timber and dense undergrowth.

0.35 Creek, 1 lk. wide, course N.  $80^{\circ}$  E.; asc. 40 ft. over SE. slope.

4.90 Spur, slopes E.; desc. 100 ft. over NE. slope.

10.70 Creek, 4 lks. wide, course E.; asc. 95 ft. over SE. slope.

18.25 Spur, slopes N.  $60^{\circ}$  E.; desc. 2 ft. over NE. slope.

20.02 Point for the S  $1/16$  sec. cor. of secs. 33 and 34.

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

S  $1/16$   
S 33 | S 34  
1976

from which

A fir, 5 ins. diam., bears S.  $72^{\circ}$  E., 40 lks. dist., mkd. S  $1/16$  S34 BT.

A fir, 10 ins. diam., bears N.  $84^{\circ}$  W., 24 lks. dist., mkd. S  $1/16$  S33 BT.

Descend 2 ft. over NE. slope.