

16150

276

Dependent Resurvey, Portion of Subdivisional Lines,  
T. 23 S., R. 4 W., Willamette Meridian, Oregon

CHAINS 80.24	<p>The cor. of secs. 21, 22, 27, and 28.</p> <p>Land, mountainous. Soil, rocky clay. Timber, fir, hemlock, cedar, maple, oak, madrone, myrtle, alder, and chinquapin; undergrowth, salal, poison oak, rhododendron, Oregon grape, vine maple, and fern.</p>
	<p>From the cor. of secs. 14, 15, 22, and 23.</p> <p>S. 89° 25' W., bet. secs. 15 and 22.</p> <p>Descend 140 ft. over NW. slope, through heavy timber and dense undergrowth.</p>
4.55	Ravine, drains S. 50° W.; asc. 60 ft. over SW. slope.
8.70	Spur, slopes S.; desc. 40 ft. over NW. slope.
10.95	Bottom of descent, slopes S.; asc. 135 ft. over SW. slope.
16.15	Spur, slopes S.; desc. 75 ft. over NW. slope.
18.70	Bottom of descent, slopes S.; asc. 110 ft. over SW. slope.
26.25	Spur, slopes S.; desc. 200 ft. over NW. slope.
39.93	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 15 and 22, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set an iron post, 28 ins. long, 2<math>\frac{1}{2}</math> ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p><i>Fd. 7/90 M 110-41</i></p> <p><math>\frac{1}{4}</math> <math>\frac{S\ 15}{S\ 22}</math> T 23 S R 4 W 1976</p> </div> <p>from which</p> <p>A fir, 8 ins. diam., bears N. 41<math>\frac{1}{2}</math>° E., 25 lks. dist., mkd. <math>\frac{1}{4}</math> S15 BT.</p> <p>A fir, 5 ins. diam., bears S. 74° E., 41<math>\frac{1}{2}</math> lks. dist., mkd. <math>\frac{1}{4}</math> S22 BT.</p> <p>Descend 170 ft. over NW. slope.</p>
68.15	Bottom of descent, slopes S., also gravelled road, 30 lks. wide, bears N. and S.; asc. 130 ft. over SE. slope.
79.86	<p>The cor. of secs. 15, 16, 21, and 22, perpetuated and recorded by H. J. Eppstein, County Surveyor, in 1928, from original evidence no longer in existence, and further perpetuated by Vernon Tracy, Deputy County Surveyor, in 1965, monumented with an axle, 1 in. diam., firmly set, projecting 4 ins. above ground, from which the remains of bearing trees mkd. by Eppstein:</p> <p>A sawed fir stump, 24 ins. diam., bears N. 39<math>\frac{1}{2}</math>° E., 28 lks. dist., no marks visible on open blaze.</p>