

Dependent Resurvey, Portion of Subdivisional Lines,
T. 23 S., R. 4 W., Willamette Meridian, Oregon

CHAINS

A fir, 15 ins. diam., bears S. $60\frac{1}{2}^{\circ}$ W., 107 $\frac{1}{2}$ lks. dist., with healed blaze.

A cedar, 13 ins. diam., bears N. $73\frac{1}{2}^{\circ}$ W., 89 lks. lks. dist., with fragmentary scribe marks visible on open blaze.

From this same point, the $\frac{1}{4}$ sec. cor. of secs. 16 and 21, bears S. $89^{\circ} 42'$ E., 40.18 chs. dist., perpetuated and recorded by F. C. Freer, County Surveyor, in 1954, and further perpetuated by James W. Byron, Deputy County Surveyor, in 1965, monumented with an iron pipe, $1\frac{1}{2}$ ins. diam., firmly set, projecting 6 ins. above ground, from which the remains of the original bearing tree:

A cedar stump, 50 ins. diam., bears S. 71° W., 31 lks. dist., no marks visible on decayed blaze.
(Record, S. 68° W., 29 lks.)

and bearing trees mkd. by Freer

An ash, 32 ins. diam., bears S. $23\frac{3}{4}^{\circ}$ W., 110 $\frac{1}{2}$ lks. dist., with fragmentary scribe marks visible on open blaze.

A maple, 27 ins. diam., bears N. 19° W., 81 lks. dist., with healed blaze.

and a bearing tree mkd. by Byron

A fir, 20 ins. diam., bears S. $15\frac{3}{4}^{\circ}$ W., 130 $\frac{1}{2}$ lks. dist., with healed blaze.

At the corner point

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

$\frac{1}{4}$ $\frac{S 16}{S 21}$
T 23 S R 4 W
1976

Reset iron pipe alongside iron post.

Land, mountainous.

Soil, rocky clay.

Timber, fir, hemlock, cedar, maple, oak, madrone, alder, myrtle, and chinquapin; undergrowth, salal, rhododendron, poison oak, vine maple, hazel, Oregon grape, and fern.

N. $0^{\circ} 20'$ W., bet. secs. 16 and 17.

Ascend 5 ft. over SE. slope, through heavy timber and dense undergrowth.

1.55 Top of ascent, slopes E.; desc. 245 ft. over NE. slope.

14.90 Creek, 2 lks. wide, course N. 70° E.; asc. 100 ft. over SE. slope.

24.70 Top of ascent, slopes E.; desc. 160 ft. over NE. slope.

31.45 Creek, 1 lk. wide, course N. 75° E.; asc. 95 ft. over SE. slope.