

Dependent Resurvey, Portion of Subdivisional Lines,
T. 23 S., R. 4 W., Willamette Meridian, Oregon

CHAINS

A cedar, 12 ins. diam., bears N. $3\frac{1}{2}^{\circ}$ E., 395 lks. dist., with fragmentary scribe marks visible on open blaze.

A fir, 19 ins. diam., bears S. $84\frac{3}{4}^{\circ}$ W., 121 $\frac{1}{2}$ lks. dist., with scribe marks T23S R4W S19 CS BT visible on open blaze.

At the corner point

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 23 S R 4 W	
S 18	S 17
S 19	S 20
1976	

from which new bearing trees

A fir, 5 ins. diam., bears N. $27\frac{3}{4}^{\circ}$ E., 48 lks. dist., mkd. T23S R4W S17 BT.

A fir, 6 ins. diam., bears S. $55\frac{1}{2}^{\circ}$ E., 32 $\frac{1}{2}$ lks. dist., mkd. T23S R4W S20 BT.

A fir, 4 ins. diam., bears S. 4° W., 20 lks. dist., mkd. T23S R4W S19 BT.

Reset axle alongside iron post.

Land, mountainous.

Soil, rocky clay.

Timber, fir, hemlock, cedar, maple, oak, myrtle, alder, madrone, and chinquapin; undergrowth, salal, rhododendron, hazel, vine maple, poison oak, Oregon grape, and fern.

From the cor. of secs. 16, 17, 20, and 21.

S. $89^{\circ} 04'$ W., bet. secs. 17 and 20.

Ascend 250 ft. over NE. slope, through heavy timber and dense undergrowth.

16.35 Creek, 1 lk. wide, course N. 35° E.; asc. 100 ft. over NE. slope.

19.90 Creek, 1 lk. wide, course N. 40° E.; asc. 5 ft. over NE. slope.

20.04 Point for the E 1/16 sec. cor. of secs. 17 and 20.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

E 1/16	S 17
	S 20
1976	

from which bearing trees of which I have no record

A fir, 30 ins. diam., bears N. $3\frac{1}{2}^{\circ}$ W., 47 lks. dist., with healed blaze.

A cedar, 17 ins. diam., bears S. 57° W., 50 lks. dist., with healed blaze.