

293

Dependent Resurvey, Portion of Subdivisional Lines,
T. 23 S., R. 4 W., Willamette Meridian, Oregon

CHAINS

Ascend 725 ft. over NE. slope.

21.10 Dirt road, 15 lks. wide, bears N. 5° E. and S. 5° W.

40.08 The $\frac{1}{4}$ sec. cor. of secs. 17 and 20, perpetuated and recorded by Wilford Haines, Registered Land Surveyor, No. 239, in 1956, monumented with a 1 in. "T" shaped iron rod, firmly set, projecting 4 ins. above ground, with an aluminum washer mkd. RLS #239, from which the remains of the original bearing trees:

A decayed fir stump, 36 ins. diam., bears N. 75° E., 62 lks. dist., no marks visible. (Record, 60 lks.)

A root hole, bears N. 64° W., 31 lks. dist., with a down and decayed fir alongside, size indeterminate, no marks visible.

and bearing trees mkd. by Haines

A fir, 23 ins. diam., bears N. 46 $\frac{1}{4}$ ° W., 12 $\frac{1}{2}$ lks. dist., with fragmentary scribe marks visible on open blaze.

A fir, 20 ins. diam., bears S. 35° E., 27 lks. dist., with fragmentary scribe marks visible on open blaze.

At the corner point

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

$\frac{1}{4}$ S 17
 S 20
T 23 S R 4 W
1976

Reset "T" shaped iron rod alongside iron post.

Land, mountainous.

Soil, rocky clay.

Timber, fir, hemlock, cedar, maple, oak, madrone, myrtle, alder, and chinquapin; undergrowth, salal, rhododendron, vine maple, poison oak, Oregon grape, hazel, and fern.

From the cor. of secs. 17, 18, 19, and 20.

N. 0° 07' W., bet. secs. 17 and 18.

Ascend 230 ft. over broken SE. slope, through heavy timber and dense undergrowth.

24.20 Ridge, bears N. 70° W. and S. 70° E.; desc. 270 ft. over NE. slope.

40.41 Point for the $\frac{1}{4}$ sec. cor. of secs. 17 and 18, at proportionate distance; there is no remaining evidence of the original corner.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

$\frac{1}{4}$
S 18 | S 17
T 23 S R 4 W
1976