

Corrective Dependent Resurvey of a Portion of
the Subdivisional Lines,
T. 27 S., R. 2 W., Willamette Meridian, Oregon

CHAINS	
	<p>and the remains of a bearing tree mkd. by Tracy</p> <p>A root hole, bears N. 2° E., 97 lks. dist., with a down hemlock alongside, 10 ins. diam., with scribe marks $\frac{1}{2}$ S3 CS BT visible on open blaze.</p> <p>and a new bearing tree</p> <p>A white fir, 12 ins. diam., bears N. 47$\frac{1}{2}$° E., 72$\frac{1}{2}$ lks. dist., mkd. $\frac{1}{2}$ S3 BT.</p> <hr/> <p>S. 88° 44' W., beginning new measurement.</p> <p>Descend 15 ft. over NW. slope.</p>
1.10	Creek, 10 lks. wide, course N. 45° W.; desc. 2 ft. over NW. slope.
1.85	Creek, 3 lks. wide, course N. 45° W.; desc. 15 ft. over NW. slope.
3.80	Creek, 2 lks. wide, course N. 45° W.; asc. 80 ft. over E. slope.
14.40	Spur, slopes N. 20° E.; desc. 215 ft. over NW. slope.
16.70	Gravelled road, 30 lks. wide, bears N. 45° E. and S. 45° W.
20.235	<p>Point for the W 1/16 sec. cor. of sec. 3 only.</p> <p>From this point, the W 1/16 sec. cor. of sec. 3 only, erroneously positioned by Corbin, in 1957, bears N. 46° 55' W., 0.255 chs. dist., monumented with an iron post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., firmly set, 24 ins. in the ground, mkd. and witnessed as described in the official record.</p> <p>I remove the iron post, and at the true corner point</p> <p>Reset the iron post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;"><u>W 1/16 S 3</u> 1978 1957</p> <p>from which the remains of bearing trees mkd. by Corbin</p> <p>A fir snag, 6 ins. diam., bears N. 45$\frac{1}{2}$° W., 31 lks. dist., with healed blaze. (Record, hemlock)</p> <p>A fir, 25 ins. diam., bears N. 6$\frac{1}{2}$° W., 48 lks. dist., with healed blaze.</p> <p>and a new bearing tree</p> <p>A fir, 6 ins. diam., bears N. 52$\frac{1}{2}$° E., 58 lks. dist., mkd. W 1/16 S3 BT.</p> <p>Descend 10 ft. over SW. slope.</p>
21.65	Ravine, drains N. 70° W.; desc. 110 ft. over NW. slope.
24.15	Little River, 35 lks. wide, course S. 45° W.; asc. 25 ft. over gentle SE. slope.